

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

**TENNESSEE**

| MARITAL STATUS |        |       |
|----------------|--------|-------|
|                | NUMBER | PCNT  |
| MARRIED        | 1,789  | 14.5  |
| NOT MARRIED    | 9,758  | 78.9  |
| UNKNOWN        | 821    | 6.6   |
| TOTAL          | 12,368 | 100.0 |

| NUMBER OF PREVIOUS<br>ITOPs |        |       |
|-----------------------------|--------|-------|
| NUMBER                      | FREQ   | PCNT  |
| 0                           | 6,995  | 56.6  |
| 1                           | 3,083  | 24.9  |
| 2                           | 1,284  | 10.4  |
| 3                           | 531    | 4.3   |
| 4+                          | 338    | 2.7   |
| UNKNOWN                     | 137    | 1.1   |
| TOTAL                       | 12,368 | 100.0 |

| GESTATIONAL AGE |        |       |
|-----------------|--------|-------|
| WEEKS           | NUMBER | PCNT  |
| LT. 7           | 4,300  | 34.8  |
| 7-8             | 3,865  | 31.3  |
| 9-10            | 1,933  | 15.6  |
| 11-12           | 1,295  | 10.5  |
| 13-14           | 594    | 4.8   |
| 15-16           | 185    | 1.5   |
| 17-20           | 23     | 0.2   |
| UNKNOWN         | 173    | 1.4   |
| TOTAL           | 12,368 | 100.0 |

| INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE |           |           |       |        |           |       |           |         |       |
|-------------------------------------------------------------------------------|-----------|-----------|-------|--------|-----------|-------|-----------|---------|-------|
|                                                                               | ALL RACES |           |       | WHITES |           |       | NONWHITES |         |       |
| AGE                                                                           | ITOPs     | POP       | RATE* | ITOPs  | POP       | RATE* | ITOPs     | POP     | RATE* |
| 10-44                                                                         | 12,258    | 1,482,873 | 8.3   | 5,729  | 1,126,853 | 5.1   | 6,125     | 356,020 | 17.2  |
| 10-14                                                                         | 43        | 205,724   | 0.2   | 16     | 152,638   | 0.1   | 25        | 53,086  | 0.5   |
| 15-17                                                                         | 473       | 123,785   | 3.8   | 237    | 90,505    | 2.6   | 227       | 33,280  | 6.8   |
| 18-19                                                                         | 1,045     | 84,248    | 12.4  | 520    | 61,841    | 8.4   | 500       | 22,407  | 22.3  |
| 20-24                                                                         | 4,158     | 220,956   | 18.8  | 1,886  | 165,082   | 11.4  | 2,131     | 55,874  | 38.1  |
| 25-29                                                                         | 3,147     | 211,712   | 14.9  | 1,469  | 161,772   | 9.1   | 1,570     | 49,940  | 31.4  |
| 30-34                                                                         | 1,975     | 210,237   | 9.4   | 876    | 160,699   | 5.5   | 1,036     | 49,538  | 20.9  |
| 35-39                                                                         | 1,059     | 205,811   | 5.1   | 528    | 159,980   | 3.3   | 493       | 45,831  | 10.8  |
| 40-44                                                                         | 358       | 220,400   | 1.6   | 197    | 174,336   | 1.1   | 143       | 46,064  | 3.1   |

\*Per 1,000 population.

| INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN |           |        |         |        |        |         |           |        |         |
|----------------------------------------------------------------------------------|-----------|--------|---------|--------|--------|---------|-----------|--------|---------|
|                                                                                  | ALL RACES |        |         | WHITES |        |         | NONWHITES |        |         |
| AGE                                                                              | ITOPs     | BIRTHS | RATIO** | ITOPs  | BIRTHS | RATIO** | ITOPs     | BIRTHS | RATIO** |
| 10-44                                                                            | 12,258    | 79,348 | 154.5   | 5,729  | 60,185 | 95.2    | 6,125     | 18,465 | 331.7   |
| 10-14                                                                            | 43        | 102    | 421.6   | 16     | 50     | 320.0   | 25        | 52     | 480.8   |
| 15-17                                                                            | 473       | 2,287  | 206.8   | 237    | 1,467  | 161.6   | 227       | 801    | 283.4   |
| 18-19                                                                            | 1,045     | 6,200  | 168.5   | 520    | 4,295  | 121.1   | 500       | 1,861  | 268.7   |
| 20-24                                                                            | 4,158     | 22,695 | 183.2   | 1,886  | 16,307 | 115.7   | 2,131     | 6,207  | 343.3   |
| 25-29                                                                            | 3,147     | 23,051 | 136.5   | 1,469  | 18,061 | 81.3    | 1,570     | 4,777  | 328.7   |
| 30-34                                                                            | 1,975     | 16,751 | 117.9   | 876    | 13,464 | 65.1    | 1,036     | 3,124  | 331.6   |
| 35-39                                                                            | 1,059     | 6,807  | 155.6   | 528    | 5,410  | 97.6    | 493       | 1,339  | 368.2   |
| 40-44                                                                            | 358       | 1,455  | 246.0   | 197    | 1,131  | 174.2   | 143       | 304    | 470.4   |

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state. The total number of recorded induced terminations of pregnancy in Tennessee were 16,115.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

**EAST TENNESSEE**

| MARITAL STATUS |        |       |
|----------------|--------|-------|
|                | NUMBER | PCNT  |
| MARRIED        | 155    | 20.3  |
| NOT MARRIED    | 567    | 74.2  |
| UNKNOWN        | 42     | 5.5   |
| TOTAL          | 764    | 100.0 |

| NUMBER OF PREVIOUS<br>ITOPs |      |       |
|-----------------------------|------|-------|
| NUMBER                      | FREQ | PCNT  |
| 0                           | 513  | 67.1  |
| 1                           | 168  | 22.0  |
| 2                           | 46   | 6.0   |
| 3                           | 13   | 1.7   |
| 4+                          | 11   | 1.4   |
| UNKNOWN                     | 13   | 1.7   |
| TOTAL                       | 764  | 100.0 |

| GESTATIONAL AGE |        |       |
|-----------------|--------|-------|
| WEEKS           | NUMBER | PCNT  |
| LT. 7           | 292    | 38.2  |
| 7-8             | 226    | 29.6  |
| 9-10            | 106    | 13.9  |
| 11-12           | 61     | 8.0   |
| 13-14           | 43     | 5.6   |
| 15-16           | 19     | 2.5   |
| 17-20           | 0      | 0.0   |
| UNKNOWN         | 17     | 2.2   |
| TOTAL           | 764    | 100.0 |

| INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE |           |         |       |        |         |       |           |       |       |
|-------------------------------------------------------------------------------|-----------|---------|-------|--------|---------|-------|-----------|-------|-------|
|                                                                               | ALL RACES |         |       | WHITES |         |       | NONWHITES |       |       |
| AGE                                                                           | ITOPs     | POP     | RATE* | ITOPs  | POP     | RATE* | ITOPs     | POP   | RATE* |
| 10-44                                                                         | 755       | 156,005 | 4.8   | 684    | 147,692 | 4.6   | 46        | 8,313 | 5.5   |
| 10-14                                                                         | 4         | 23,013  | 0.2   | 4      | 21,449  | 0.2   | 0         | 1,564 | 0.0   |
| 15-17                                                                         | 39        | 13,463  | 2.9   | 36     | 12,555  | 2.9   | 1         | 908   | 1.1   |
| 18-19                                                                         | 90        | 8,795   | 10.2  | 84     | 8,238   | 10.2  | 5         | 557   | 9.0   |
| 20-24                                                                         | 242       | 21,287  | 11.4  | 222    | 20,159  | 11.0  | 14        | 1,128 | 12.4  |
| 25-29                                                                         | 162       | 19,772  | 8.2   | 143    | 18,751  | 7.6   | 11        | 1,021 | 10.8  |
| 30-34                                                                         | 117       | 21,078  | 5.6   | 104    | 20,028  | 5.2   | 11        | 1,050 | 10.5  |
| 35-39                                                                         | 71        | 22,838  | 3.1   | 66     | 21,817  | 3.0   | 2         | 1,021 | 2.0   |
| 40-44                                                                         | 30        | 25,759  | 1.2   | 25     | 24,695  | 1.0   | 2         | 1,064 | 1.9   |

\*Per 1,000 population.

| INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN |           |        |         |        |        |         |           |        |         |
|----------------------------------------------------------------------------------|-----------|--------|---------|--------|--------|---------|-----------|--------|---------|
|                                                                                  | ALL RACES |        |         | WHITES |        |         | NONWHITES |        |         |
| AGE                                                                              | ITOPs     | BIRTHS | RATIO** | ITOPs  | BIRTHS | RATIO** | ITOPs     | BIRTHS | RATIO** |
| 10-44                                                                            | 755       | 7,960  | 94.8    | 684    | 7,616  | 89.8    | 46        | 229    | 200.9   |
| 10-14                                                                            | 4         | 9      | 444.4   | 4      | 9      | 444.4   | 0         | 0      | -       |
| 15-17                                                                            | 39        | 258    | 151.2   | 36     | 244    | 147.5   | 1         | 7      | 142.9   |
| 18-19                                                                            | 90        | 769    | 117.0   | 84     | 735    | 114.3   | 5         | 18     | 277.8   |
| 20-24                                                                            | 242       | 2,581  | 93.8    | 222    | 2,480  | 89.5    | 14        | 68     | 205.9   |
| 25-29                                                                            | 162       | 2,286  | 70.9    | 143    | 2,196  | 65.1    | 11        | 60     | 183.3   |
| 30-34                                                                            | 117       | 1,371  | 85.3    | 104    | 1,296  | 80.2    | 11        | 55     | 200.0   |
| 35-39                                                                            | 71        | 564    | 125.9   | 66     | 541    | 122.0   | 2         | 16     | 125.0   |
| 40-44                                                                            | 30        | 122    | 245.9   | 25     | 115    | 217.4   | 2         | 5      | 400.0   |

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

**NORTHEAST TN**

| MARITAL STATUS |        |       |
|----------------|--------|-------|
|                | NUMBER | PCNT  |
| MARRIED        | 18     | 14.2  |
| NOT MARRIED    | 100    | 78.7  |
| UNKNOWN        | 9      | 7.1   |
| TOTAL          | 127    | 100.0 |

| NUMBER OF PREVIOUS<br>ITOPs |      |       |
|-----------------------------|------|-------|
| NUMBER                      | FREQ | PCNT  |
| 0                           | 89   | 70.1  |
| 1                           | 27   | 21.3  |
| 2                           | 4    | 3.1   |
| 3                           | 2    | 1.6   |
| 4+                          | 1    | 0.8   |
| UNKNOWN                     | 4    | 3.1   |
| TOTAL                       | 127  | 100.0 |

| GESTATIONAL AGE |        |       |
|-----------------|--------|-------|
| WEEKS           | NUMBER | PCNT  |
| LT. 7           | 48     | 37.8  |
| 7-8             | 31     | 24.4  |
| 9-10            | 20     | 15.7  |
| 11-12           | 13     | 10.2  |
| 13-14           | 7      | 5.5   |
| 15-16           | 4      | 3.1   |
| 17-20           | 1      | 0.8   |
| UNKNOWN         | 3      | 2.4   |
| TOTAL           | 127    | 100.0 |

| INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE |           |        |       |        |        |       |           |       |       |
|-------------------------------------------------------------------------------|-----------|--------|-------|--------|--------|-------|-----------|-------|-------|
| AGE                                                                           | ALL RACES |        |       | WHITES |        |       | NONWHITES |       |       |
|                                                                               | ITOPs     | POP    | RATE* | ITOPs  | POP    | RATE* | ITOPs     | POP   | RATE* |
| 10-44                                                                         | 126       | 75,189 | 1.7   | 116    | 71,099 | 1.6   | 9         | 4,090 | 2.2   |
| 10-14                                                                         | 0         | 10,103 | 0.0   | 0      | 9,414  | 0.0   | 0         | 689   | 0.0   |
| 15-17                                                                         | 10        | 6,231  | 1.6   | 9      | 5,804  | 1.6   | 1         | 427   | 2.3   |
| 18-19                                                                         | 9         | 4,333  | 2.1   | 9      | 4,042  | 2.2   | 0         | 291   | 0.0   |
| 20-24                                                                         | 37        | 11,801 | 3.1   | 32     | 11,006 | 2.9   | 4         | 795   | 5.0   |
| 25-29                                                                         | 26        | 9,979  | 2.6   | 24     | 9,503  | 2.5   | 2         | 476   | 4.2   |
| 30-34                                                                         | 25        | 10,038 | 2.5   | 24     | 9,541  | 2.5   | 1         | 497   | 2.0   |
| 35-39                                                                         | 14        | 10,803 | 1.3   | 13     | 10,384 | 1.3   | 1         | 419   | 2.4   |
| 40-44                                                                         | 5         | 11,901 | 0.4   | 5      | 11,405 | 0.4   | 0         | 496   | 0.0   |

\*Per 1,000 population.

| INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN |           |        |         |        |        |         |           |        |         |
|----------------------------------------------------------------------------------|-----------|--------|---------|--------|--------|---------|-----------|--------|---------|
| AGE                                                                              | ALL RACES |        |         | WHITES |        |         | NONWHITES |        |         |
|                                                                                  | ITOPs     | BIRTHS | RATIO** | ITOPs  | BIRTHS | RATIO** | ITOPs     | BIRTHS | RATIO** |
| 10-44                                                                            | 126       | 3,422  | 36.8    | 116    | 3,225  | 36.0    | 9         | 149    | 60.4    |
| 10-14                                                                            | 0         | 3      | 0.0     | 0      | 3      | 0.0     | 0         | 0      | -       |
| 15-17                                                                            | 10        | 111    | 90.1    | 9      | 106    | 84.9    | 1         | 5      | 200.0   |
| 18-19                                                                            | 9         | 315    | 28.6    | 9      | 301    | 29.9    | 0         | 12     | 0.0     |
| 20-24                                                                            | 37        | 1,022  | 36.2    | 32     | 976    | 32.8    | 4         | 39     | 102.6   |
| 25-29                                                                            | 26        | 979    | 26.6    | 24     | 928    | 25.9    | 2         | 36     | 55.6    |
| 30-34                                                                            | 25        | 691    | 36.2    | 24     | 643    | 37.3    | 1         | 32     | 31.3    |
| 35-39                                                                            | 14        | 251    | 55.8    | 13     | 225    | 57.8    | 1         | 19     | 52.6    |
| 40-44                                                                            | 5         | 50     | 100.0   | 5      | 43     | 116.3   | 0         | 6      | 0.0     |

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

**MID-CUMBERLAND**

| MARITAL STATUS |        |       |
|----------------|--------|-------|
|                | NUMBER | PCNT  |
| MARRIED        | 375    | 20.3  |
| NOT MARRIED    | 1,290  | 69.8  |
| UNKNOWN        | 184    | 10.0  |
| TOTAL          | 1,849  | 100.0 |

| NUMBER OF PREVIOUS<br>ITOPs |       |       |
|-----------------------------|-------|-------|
| NUMBER                      | FREQ  | PCNT  |
| 0                           | 1,138 | 61.5  |
| 1                           | 426   | 23.0  |
| 2                           | 138   | 7.5   |
| 3                           | 70    | 3.8   |
| 4+                          | 53    | 2.9   |
| UNKNOWN                     | 24    | 1.3   |
| TOTAL                       | 1,849 | 100.0 |

| GESTATIONAL AGE |        |       |
|-----------------|--------|-------|
| WEEKS           | NUMBER | PCNT  |
| LT. 7           | 747    | 40.4  |
| 7-8             | 563    | 30.4  |
| 9-10            | 255    | 13.8  |
| 11-12           | 126    | 6.8   |
| 13-14           | 85     | 4.6   |
| 15-16           | 29     | 1.6   |
| 17-20           | 4      | 0.2   |
| UNKNOWN         | 40     | 2.2   |
| TOTAL           | 1,849  | 100.0 |

| INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE |           |         |       |        |         |       |           |        |       |
|-------------------------------------------------------------------------------|-----------|---------|-------|--------|---------|-------|-----------|--------|-------|
|                                                                               | ALL RACES |         |       | WHITES |         |       | NONWHITES |        |       |
| AGE                                                                           | ITOPs     | POP     | RATE* | ITOPs  | POP     | RATE* | ITOPs     | POP    | RATE* |
| 10-44                                                                         | 1,829     | 272,809 | 6.7   | 1,253  | 228,804 | 5.5   | 472       | 44,005 | 10.7  |
| 10-14                                                                         | 2         | 40,993  | 0.0   | 2      | 33,842  | 0.1   | 0         | 7,151  | 0.0   |
| 15-17                                                                         | 81        | 22,817  | 3.5   | 54     | 18,714  | 2.9   | 22        | 4,103  | 5.4   |
| 18-19                                                                         | 156       | 14,788  | 10.5  | 98     | 12,149  | 8.1   | 46        | 2,639  | 17.4  |
| 20-24                                                                         | 638       | 36,336  | 17.6  | 448    | 30,117  | 14.9  | 153       | 6,219  | 24.6  |
| 25-29                                                                         | 451       | 37,061  | 12.2  | 312    | 31,334  | 10.0  | 115       | 5,727  | 20.1  |
| 30-34                                                                         | 269       | 38,899  | 6.9   | 170    | 32,670  | 5.2   | 83        | 6,229  | 13.3  |
| 35-39                                                                         | 170       | 39,736  | 4.3   | 123    | 33,636  | 3.7   | 39        | 6,100  | 6.4   |
| 40-44                                                                         | 62        | 42,179  | 1.5   | 46     | 36,342  | 1.3   | 14        | 5,837  | 2.4   |
| *Per 1,000 population.                                                        |           |         |       |        |         |       |           |        |       |

| INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN |           |        |         |        |        |         |           |        |         |
|----------------------------------------------------------------------------------|-----------|--------|---------|--------|--------|---------|-----------|--------|---------|
|                                                                                  | ALL RACES |        |         | WHITES |        |         | NONWHITES |        |         |
| AGE                                                                              | ITOPs     | BIRTHS | RATIO** | ITOPs  | BIRTHS | RATIO** | ITOPs     | BIRTHS | RATIO** |
| 10-44                                                                            | 1,829     | 14,397 | 127.0   | 1,253  | 12,366 | 101.3   | 472       | 1,921  | 245.7   |
| 10-14                                                                            | 2         | 6      | 333.3   | 2      | 4      | 500.0   | 0         | 2      | 0.0     |
| 15-17                                                                            | 81        | 278    | 291.4   | 54     | 220    | 245.5   | 22        | 58     | 379.3   |
| 18-19                                                                            | 156       | 875    | 178.3   | 98     | 732    | 133.9   | 46        | 138    | 333.3   |
| 20-24                                                                            | 638       | 3,517  | 181.4   | 448    | 2,945  | 152.1   | 153       | 543    | 281.8   |
| 25-29                                                                            | 451       | 4,394  | 102.6   | 312    | 3,830  | 81.5    | 115       | 523    | 219.9   |
| 30-34                                                                            | 269       | 3,550  | 75.8    | 170    | 3,112  | 54.6    | 83        | 414    | 200.5   |
| 35-39                                                                            | 170       | 1,443  | 117.8   | 123    | 1,234  | 99.7    | 39        | 202    | 193.1   |
| 40-44                                                                            | 62        | 334    | 185.6   | 46     | 289    | 159.2   | 14        | 41     | 341.5   |
| **Number of ITOPs per 1,000 live births.                                         |           |        |         |        |        |         |           |        |         |

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

**SOUTH CENTRAL**

| MARITAL STATUS |        |       |
|----------------|--------|-------|
|                | NUMBER | PCNT  |
| MARRIED        | 69     | 18.5  |
| NOT MARRIED    | 280    | 75.1  |
| UNKNOWN        | 24     | 6.4   |
| TOTAL          | 373    | 100.0 |

| NUMBER OF PREVIOUS<br>ITOPs |      |       |
|-----------------------------|------|-------|
| NUMBER                      | FREQ | PCNT  |
| 0                           | 241  | 64.6  |
| 1                           | 75   | 20.1  |
| 2                           | 30   | 8.0   |
| 3                           | 13   | 3.5   |
| 4+                          | 11   | 2.9   |
| UNKNOWN                     | 3    | 0.8   |
| TOTAL                       | 373  | 100.0 |

| GESTATIONAL AGE |        |       |
|-----------------|--------|-------|
| WEEKS           | NUMBER | PCNT  |
| LT. 7           | 133    | 35.7  |
| 7-8             | 91     | 24.4  |
| 9-10            | 77     | 20.6  |
| 11-12           | 35     | 9.4   |
| 13-14           | 11     | 2.9   |
| 15-16           | 11     | 2.9   |
| 17-20           | 4      | 1.1   |
| UNKNOWN         | 11     | 2.9   |
| TOTAL           | 373    | 100.0 |

| INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE |           |        |       |        |        |       |           |       |       |
|-------------------------------------------------------------------------------|-----------|--------|-------|--------|--------|-------|-----------|-------|-------|
|                                                                               | ALL RACES |        |       | WHITES |        |       | NONWHITES |       |       |
| AGE                                                                           | ITOPs     | POP    | RATE* | ITOPs  | POP    | RATE* | ITOPs     | POP   | RATE* |
| 10-44                                                                         | 370       | 82,482 | 4.5   | 291    | 74,207 | 3.9   | 55        | 8,275 | 6.6   |
| 10-14                                                                         | 1         | 12,556 | 0.1   | 1      | 11,086 | 0.1   | 0         | 1,470 | 0.0   |
| 15-17                                                                         | 21        | 6,964  | 3.0   | 16     | 6,145  | 2.6   | 5         | 819   | 6.1   |
| 18-19                                                                         | 45        | 4,533  | 9.9   | 41     | 4,015  | 10.2  | 3         | 518   | 5.8   |
| 20-24                                                                         | 124       | 11,285 | 11.0  | 95     | 10,095 | 9.4   | 19        | 1,190 | 16.0  |
| 25-29                                                                         | 89        | 11,153 | 8.0   | 63     | 10,086 | 6.2   | 16        | 1,067 | 15.0  |
| 30-34                                                                         | 49        | 11,763 | 4.2   | 41     | 10,670 | 3.8   | 6         | 1,093 | 5.5   |
| 35-39                                                                         | 35        | 11,673 | 3.0   | 28     | 10,651 | 2.6   | 6         | 1,022 | 5.9   |
| 40-44                                                                         | 6         | 12,555 | 0.5   | 6      | 11,459 | 0.5   | 0         | 1,096 | 0.0   |
| *Per 1,000 population.                                                        |           |        |       |        |        |       |           |       |       |

| INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN |           |        |         |        |        |         |           |        |         |
|----------------------------------------------------------------------------------|-----------|--------|---------|--------|--------|---------|-----------|--------|---------|
|                                                                                  | ALL RACES |        |         | WHITES |        |         | NONWHITES |        |         |
| AGE                                                                              | ITOPs     | BIRTHS | RATIO** | ITOPs  | BIRTHS | RATIO** | ITOPs     | BIRTHS | RATIO** |
| 10-44                                                                            | 370       | 4,592  | 80.6    | 291    | 4,117  | 70.7    | 55        | 343    | 160.3   |
| 10-14                                                                            | 1         | 5      | 200.0   | 1      | 4      | 250.0   | 0         | 1      | 0.0     |
| 15-17                                                                            | 21        | 152    | 138.2   | 16     | 133    | 120.3   | 5         | 19     | 263.2   |
| 18-19                                                                            | 45        | 378    | 119.0   | 41     | 352    | 116.5   | 3         | 24     | 125.0   |
| 20-24                                                                            | 124       | 1,533  | 80.9    | 95     | 1,367  | 69.5    | 19        | 132    | 143.9   |
| 25-29                                                                            | 89        | 1,336  | 66.6    | 63     | 1,189  | 53.0    | 16        | 98     | 163.3   |
| 30-34                                                                            | 49        | 828    | 59.2    | 41     | 750    | 54.7    | 6         | 47     | 127.7   |
| 35-39                                                                            | 35        | 298    | 117.4   | 28     | 269    | 104.1   | 6         | 15     | 400.0   |
| 40-44                                                                            | 6         | 62     | 96.8    | 6      | 53     | 113.2   | 0         | 7      | 0.0     |
| **Number of ITOPs per 1,000 live births.                                         |           |        |         |        |        |         |           |        |         |

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

**SOUTHEAST**

| MARITAL STATUS |        |       |
|----------------|--------|-------|
|                | NUMBER | PCNT  |
| MARRIED        | 42     | 17.9  |
| NOT MARRIED    | 180    | 76.6  |
| UNKNOWN        | 13     | 5.5   |
| TOTAL          | 235    | 100.0 |

| NUMBER OF PREVIOUS<br>ITOPs |      |       |
|-----------------------------|------|-------|
| NUMBER                      | FREQ | PCNT  |
| 0                           | 173  | 73.6  |
| 1                           | 46   | 19.6  |
| 2                           | 9    | 3.8   |
| 3                           | 5    | 2.1   |
| 4+                          | 1    | 0.4   |
| UNKNOWN                     | 1    | 0.4   |
| TOTAL                       | 235  | 100.0 |

| GESTATIONAL AGE |        |       |
|-----------------|--------|-------|
| WEEKS           | NUMBER | PCNT  |
| LT. 7           | 80     | 34.0  |
| 7-8             | 72     | 30.6  |
| 9-10            | 35     | 14.9  |
| 11-12           | 23     | 9.8   |
| 13-14           | 8      | 3.4   |
| 15-16           | 5      | 2.1   |
| 17-20           | 3      | 1.3   |
| UNKNOWN         | 9      | 3.8   |
| TOTAL           | 235    | 100.0 |

| INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE |           |        |       |        |        |       |           |       |       |
|-------------------------------------------------------------------------------|-----------|--------|-------|--------|--------|-------|-----------|-------|-------|
|                                                                               | ALL RACES |        |       | WHITES |        |       | NONWHITES |       |       |
| AGE                                                                           | ITOPs     | POP    | RATE* | ITOPs  | POP    | RATE* | ITOPs     | POP   | RATE* |
| 10-44                                                                         | 234       | 70,096 | 3.3   | 213    | 65,334 | 3.3   | 19        | 4,762 | 4.0   |
| 10-14                                                                         | 0         | 10,341 | 0.0   | 0      | 9,452  | 0.0   | 0         | 889   | 0.0   |
| 15-17                                                                         | 15        | 6,209  | 2.4   | 15     | 5,701  | 2.6   | 0         | 508   | 0.0   |
| 18-19                                                                         | 27        | 4,163  | 6.5   | 23     | 3,838  | 6.0   | 3         | 325   | 9.2   |
| 20-24                                                                         | 70        | 10,566 | 6.6   | 65     | 9,783  | 6.6   | 5         | 783   | 6.4   |
| 25-29                                                                         | 62        | 8,565  | 7.2   | 55     | 8,014  | 6.9   | 7         | 551   | 12.7  |
| 30-34                                                                         | 42        | 9,509  | 4.4   | 38     | 8,969  | 4.2   | 3         | 540   | 5.6   |
| 35-39                                                                         | 11        | 10,021 | 1.1   | 11     | 9,448  | 1.2   | 0         | 573   | 0.0   |
| 40-44                                                                         | 7         | 10,722 | 0.7   | 6      | 10,129 | 0.6   | 1         | 593   | 1.7   |
| *Per 1,000 population.                                                        |           |        |       |        |        |       |           |       |       |

| INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN |           |        |         |        |        |         |           |        |         |
|----------------------------------------------------------------------------------|-----------|--------|---------|--------|--------|---------|-----------|--------|---------|
|                                                                                  | ALL RACES |        |         | WHITES |        |         | NONWHITES |        |         |
| AGE                                                                              | ITOPs     | BIRTHS | RATIO** | ITOPs  | BIRTHS | RATIO** | ITOPs     | BIRTHS | RATIO** |
| 10-44                                                                            | 234       | 3,504  | 66.8    | 213    | 3,324  | 64.1    | 19        | 166    | 114.5   |
| 10-14                                                                            | 0         | 7      | 0.0     | 0      | 7      | 0.0     | 0         | 0      | -       |
| 15-17                                                                            | 15        | 107    | 140.2   | 15     | 103    | 145.6   | 0         | 4      | 0.0     |
| 18-19                                                                            | 27        | 391    | 69.1    | 23     | 367    | 62.7    | 3         | 22     | 136.4   |
| 20-24                                                                            | 70        | 1,223  | 57.2    | 65     | 1,166  | 55.7    | 5         | 55     | 90.9    |
| 25-29                                                                            | 62        | 965    | 64.2    | 55     | 912    | 60.3    | 7         | 46     | 152.2   |
| 30-34                                                                            | 42        | 556    | 75.5    | 38     | 526    | 72.2    | 3         | 27     | 111.1   |
| 35-39                                                                            | 11        | 216    | 50.9    | 11     | 208    | 52.9    | 0         | 8      | 0.0     |
| 40-44                                                                            | 7         | 39     | 179.5   | 6      | 35     | 171.4   | 1         | 4      | 250.0   |
| **Number of ITOPs per 1,000 live births.                                         |           |        |         |        |        |         |           |        |         |

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

**UPPER CUMBERLAND**

| MARITAL STATUS |        |       |
|----------------|--------|-------|
|                | NUMBER | PCNT  |
| MARRIED        | 57     | 21.2  |
| NOT MARRIED    | 197    | 73.2  |
| UNKNOWN        | 15     | 5.6   |
| TOTAL          | 269    | 100.0 |

| NUMBER OF PREVIOUS<br>ITOPs |      |       |
|-----------------------------|------|-------|
| NUMBER                      | FREQ | PCNT  |
| 0                           | 184  | 68.4  |
| 1                           | 47   | 17.5  |
| 2                           | 25   | 9.3   |
| 3                           | 6    | 2.2   |
| 4+                          | 3    | 1.1   |
| UNKNOWN                     | 4    | 1.5   |
| TOTAL                       | 269  | 100.0 |

| GESTATIONAL AGE |        |       |
|-----------------|--------|-------|
| WEEKS           | NUMBER | PCNT  |
| LT. 7           | 92     | 34.2  |
| 7-8             | 95     | 35.3  |
| 9-10            | 34     | 12.6  |
| 11-12           | 24     | 8.9   |
| 13-14           | 14     | 5.2   |
| 15-16           | 4      | 1.5   |
| 17-20           | 1      | 0.4   |
| UNKNOWN         | 5      | 1.9   |
| TOTAL           | 269    | 100.0 |

| INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE |           |        |       |        |        |       |           |       |       |
|-------------------------------------------------------------------------------|-----------|--------|-------|--------|--------|-------|-----------|-------|-------|
|                                                                               | ALL RACES |        |       | WHITES |        |       | NONWHITES |       |       |
| AGE                                                                           | ITOPs     | POP    | RATE* | ITOPs  | POP    | RATE* | ITOPs     | POP   | RATE* |
| 10-44                                                                         | 269       | 70,961 | 3.8   | 248    | 68,089 | 3.6   | 10        | 2,872 | 3.5   |
| 10-14                                                                         | 3         | 10,428 | 0.3   | 3      | 9,883  | 0.3   | 0         | 545   | 0.0   |
| 15-17                                                                         | 8         | 6,266  | 1.3   | 8      | 5,941  | 1.3   | 0         | 325   | 0.0   |
| 18-19                                                                         | 21        | 4,210  | 5.0   | 21     | 4,004  | 5.2   | 0         | 206   | 0.0   |
| 20-24                                                                         | 94        | 10,703 | 8.8   | 83     | 10,253 | 8.1   | 4         | 450   | 8.9   |
| 25-29                                                                         | 72        | 9,114  | 7.9   | 70     | 8,757  | 8.0   | 1         | 357   | 2.8   |
| 30-34                                                                         | 41        | 9,500  | 4.3   | 35     | 9,172  | 3.8   | 3         | 328   | 9.1   |
| 35-39                                                                         | 21        | 9,807  | 2.1   | 19     | 9,449  | 2.0   | 2         | 358   | 5.6   |
| 40-44                                                                         | 9         | 10,933 | 0.8   | 9      | 10,630 | 0.8   | 0         | 303   | 0.0   |
| *Per 1,000 population.                                                        |           |        |       |        |        |       |           |       |       |

| INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN |           |        |         |        |        |         |           |        |         |
|----------------------------------------------------------------------------------|-----------|--------|---------|--------|--------|---------|-----------|--------|---------|
|                                                                                  | ALL RACES |        |         | WHITES |        |         | NONWHITES |        |         |
| AGE                                                                              | ITOPs     | BIRTHS | RATIO** | ITOPs  | BIRTHS | RATIO** | ITOPs     | BIRTHS | RATIO** |
| 10-44                                                                            | 269       | 3,865  | 69.6    | 248    | 3,765  | 65.9    | 10        | 89     | 112.4   |
| 10-14                                                                            | 3         | 3      | 1,000.0 | 3      | 3      | 1,000.0 | 0         | 0      | -       |
| 15-17                                                                            | 8         | 111    | 72.1    | 8      | 106    | 75.5    | 0         | 5      | 0.0     |
| 18-19                                                                            | 21        | 378    | 55.6    | 21     | 372    | 56.5    | 0         | 5      | 0.0     |
| 20-24                                                                            | 94        | 1,276  | 73.7    | 83     | 1,255  | 66.1    | 4         | 20     | 200.0   |
| 25-29                                                                            | 72        | 1,126  | 63.9    | 70     | 1,095  | 63.9    | 1         | 28     | 35.7    |
| 30-34                                                                            | 41        | 652    | 62.9    | 35     | 625    | 56.0    | 3         | 22     | 136.4   |
| 35-39                                                                            | 21        | 260    | 80.8    | 19     | 253    | 75.1    | 2         | 6      | 333.3   |
| 40-44                                                                            | 9         | 59     | 152.5   | 9      | 56     | 160.7   | 0         | 3      | 0.0     |
| **Number of ITOPs per 1,000 live births.                                         |           |        |         |        |        |         |           |        |         |

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

**NORTHWEST**

| MARITAL STATUS |        |       |
|----------------|--------|-------|
|                | NUMBER | PCNT  |
| MARRIED        | 42     | 17.1  |
| NOT MARRIED    | 196    | 80.0  |
| UNKNOWN        | 7      | 2.9   |
| TOTAL          | 245    | 100.0 |

| NUMBER OF PREVIOUS<br>ITOPs |      |       |
|-----------------------------|------|-------|
| NUMBER                      | FREQ | PCNT  |
| 0                           | 153  | 62.4  |
| 1                           | 59   | 24.1  |
| 2                           | 24   | 9.8   |
| 3                           | 4    | 1.6   |
| 4+                          | 5    | 2.0   |
| UNKNOWN                     | 0    | 0.0   |
| TOTAL                       | 245  | 100.0 |

| GESTATIONAL AGE |        |       |
|-----------------|--------|-------|
| WEEKS           | NUMBER | PCNT  |
| LT. 7           | 88     | 35.9  |
| 7-8             | 76     | 31.0  |
| 9-10            | 40     | 16.3  |
| 11-12           | 24     | 9.8   |
| 13-14           | 13     | 5.3   |
| 15-16           | 3      | 1.2   |
| 17-20           | 0      | 0.0   |
| UNKNOWN         | 1      | 0.4   |
| TOTAL           | 245    | 100.0 |

| INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE |           |        |       |        |        |       |           |       |       |
|-------------------------------------------------------------------------------|-----------|--------|-------|--------|--------|-------|-----------|-------|-------|
|                                                                               | ALL RACES |        |       | WHITES |        |       | NONWHITES |       |       |
| AGE                                                                           | ITOPs     | POP    | RATE* | ITOPs  | POP    | RATE* | ITOPs     | POP   | RATE* |
| 10-44                                                                         | 243       | 54,583 | 4.5   | 157    | 45,825 | 3.4   | 84        | 8,758 | 9.6   |
| 10-14                                                                         | 2         | 8,129  | 0.2   | 2      | 6,728  | 0.3   | 0         | 1,401 | 0.0   |
| 15-17                                                                         | 12        | 5,026  | 2.4   | 4      | 4,062  | 1.0   | 8         | 964   | 8.3   |
| 18-19                                                                         | 27        | 3,341  | 8.1   | 17     | 2,705  | 6.3   | 9         | 636   | 14.2  |
| 20-24                                                                         | 84        | 8,122  | 10.3  | 57     | 6,715  | 8.5   | 26        | 1,407 | 18.5  |
| 25-29                                                                         | 51        | 7,027  | 7.3   | 30     | 5,964  | 5.0   | 21        | 1,063 | 19.8  |
| 30-34                                                                         | 40        | 7,192  | 5.6   | 28     | 6,104  | 4.6   | 12        | 1,088 | 11.0  |
| 35-39                                                                         | 23        | 7,494  | 3.1   | 15     | 6,439  | 2.3   | 8         | 1,055 | 7.6   |
| 40-44                                                                         | 4         | 8,252  | 0.5   | 4      | 7,108  | 0.6   | 0         | 1,144 | 0.0   |

\*Per 1,000 population.

| INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN |           |        |         |        |        |         |           |        |         |
|----------------------------------------------------------------------------------|-----------|--------|---------|--------|--------|---------|-----------|--------|---------|
|                                                                                  | ALL RACES |        |         | WHITES |        |         | NONWHITES |        |         |
| AGE                                                                              | ITOPs     | BIRTHS | RATIO** | ITOPs  | BIRTHS | RATIO** | ITOPs     | BIRTHS | RATIO** |
| 10-44                                                                            | 243       | 2,929  | 83.0    | 157    | 2,432  | 64.6    | 84        | 456    | 184.2   |
| 10-14                                                                            | 2         | 2      | 1,000.0 | 2      | 0      | -       | 0         | 2      | 0.0     |
| 15-17                                                                            | 12        | 115    | 104.3   | 4      | 94     | 42.6    | 8         | 21     | 381.0   |
| 18-19                                                                            | 27        | 262    | 103.1   | 17     | 215    | 79.1    | 9         | 47     | 191.5   |
| 20-24                                                                            | 84        | 1,094  | 76.8    | 57     | 893    | 63.8    | 26        | 196    | 132.7   |
| 25-29                                                                            | 51        | 845    | 60.4    | 30     | 717    | 41.8    | 21        | 110    | 190.9   |
| 30-34                                                                            | 40        | 433    | 92.4    | 28     | 362    | 77.3    | 12        | 55     | 218.2   |
| 35-39                                                                            | 23        | 151    | 152.3   | 15     | 129    | 116.3   | 8         | 21     | 381.0   |
| 40-44                                                                            | 4         | 27     | 148.1   | 4      | 22     | 181.8   | 0         | 4      | 0.0     |

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

**SOUTHWEST**

| MARITAL STATUS |        |       |
|----------------|--------|-------|
|                | NUMBER | PCNT  |
| MARRIED        | 51     | 13.5  |
| NOT MARRIED    | 309    | 81.5  |
| UNKNOWN        | 19     | 5.0   |
| TOTAL          | 379    | 100.0 |

| NUMBER OF PREVIOUS<br>ITOPs |      |       |
|-----------------------------|------|-------|
| NUMBER                      | FREQ | PCNT  |
| 0                           | 224  | 59.1  |
| 1                           | 93   | 24.5  |
| 2                           | 45   | 11.9  |
| 3                           | 9    | 2.4   |
| 4+                          | 6    | 1.6   |
| UNKNOWN                     | 2    | 0.5   |
| TOTAL                       | 379  | 100.0 |

| GESTATIONAL AGE |        |       |
|-----------------|--------|-------|
| WEEKS           | NUMBER | PCNT  |
| LT. 7           | 138    | 36.4  |
| 7-8             | 106    | 28.0  |
| 9-10            | 57     | 15.0  |
| 11-12           | 50     | 13.2  |
| 13-14           | 23     | 6.1   |
| 15-16           | 4      | 1.1   |
| 17-20           | 0      | 0.0   |
| UNKNOWN         | 1      | 0.3   |
| TOTAL           | 379    | 100.0 |

| INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE |           |        |       |        |        |       |           |        |       |
|-------------------------------------------------------------------------------|-----------|--------|-------|--------|--------|-------|-----------|--------|-------|
|                                                                               | ALL RACES |        |       | WHITES |        |       | NONWHITES |        |       |
| AGE                                                                           | ITOPs     | POP    | RATE* | ITOPs  | POP    | RATE* | ITOPs     | POP    | RATE* |
| 10-44                                                                         | 377       | 60,562 | 6.2   | 177    | 45,351 | 3.9   | 197       | 15,211 | 13.0  |
| 10-14                                                                         | 3         | 9,427  | 0.3   | 1      | 6,832  | 0.1   | 1         | 2,595  | 0.4   |
| 15-17                                                                         | 12        | 5,503  | 2.2   | 8      | 4,007  | 2.0   | 4         | 1,496  | 2.7   |
| 18-19                                                                         | 42        | 3,524  | 11.9  | 30     | 2,579  | 11.6  | 12        | 945    | 12.7  |
| 20-24                                                                         | 110       | 8,121  | 13.5  | 35     | 5,988  | 5.8   | 74        | 2,133  | 34.7  |
| 25-29                                                                         | 102       | 7,734  | 13.2  | 49     | 5,818  | 8.4   | 53        | 1,916  | 27.7  |
| 30-34                                                                         | 74        | 8,503  | 8.7   | 35     | 6,339  | 5.5   | 39        | 2,164  | 18.0  |
| 35-39                                                                         | 25        | 8,328  | 3.0   | 11     | 6,515  | 1.7   | 13        | 1,813  | 7.2   |
| 40-44                                                                         | 9         | 9,422  | 1.0   | 8      | 7,273  | 1.1   | 1         | 2,149  | 0.5   |

\*Per 1,000 population.

| INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN |           |        |         |        |        |         |           |        |         |
|----------------------------------------------------------------------------------|-----------|--------|---------|--------|--------|---------|-----------|--------|---------|
|                                                                                  | ALL RACES |        |         | WHITES |        |         | NONWHITES |        |         |
| AGE                                                                              | ITOPs     | BIRTHS | RATIO** | ITOPs  | BIRTHS | RATIO** | ITOPs     | BIRTHS | RATIO** |
| 10-44                                                                            | 377       | 3,176  | 118.7   | 177    | 2,365  | 74.8    | 197       | 776    | 253.9   |
| 10-14                                                                            | 3         | 8      | 375.0   | 1      | 4      | 250.0   | 1         | 4      | 250.0   |
| 15-17                                                                            | 12        | 104    | 115.4   | 8      | 62     | 129.0   | 4         | 39     | 102.6   |
| 18-19                                                                            | 42        | 293    | 143.3   | 30     | 180    | 166.7   | 12        | 109    | 110.1   |
| 20-24                                                                            | 110       | 1,073  | 102.5   | 35     | 768    | 45.6    | 74        | 299    | 247.5   |
| 25-29                                                                            | 102       | 935    | 109.1   | 49     | 758    | 64.6    | 53        | 169    | 313.6   |
| 30-34                                                                            | 74        | 541    | 136.8   | 35     | 419    | 83.5    | 39        | 112    | 348.2   |
| 35-39                                                                            | 25        | 182    | 137.4   | 11     | 141    | 78.0    | 13        | 38     | 342.1   |
| 40-44                                                                            | 9         | 40     | 225.0   | 8      | 33     | 242.4   | 1         | 6      | 166.7   |

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

**SHELBY**

| MARITAL STATUS |        |       |
|----------------|--------|-------|
|                | NUMBER | PCNT  |
| MARRIED        | 455    | 9.9   |
| NOT MARRIED    | 3,961  | 86.2  |
| UNKNOWN        | 179    | 3.9   |
| TOTAL          | 4,595  | 100.0 |

| NUMBER OF PREVIOUS<br>ITOPs |       |       |
|-----------------------------|-------|-------|
| NUMBER                      | FREQ  | PCNT  |
| 0                           | 2,232 | 48.6  |
| 1                           | 1,289 | 28.1  |
| 2                           | 630   | 13.7  |
| 3                           | 263   | 5.7   |
| 4+                          | 143   | 3.1   |
| UNKNOWN                     | 38    | 0.8   |
| TOTAL                       | 4,595 | 100.0 |

| GESTATIONAL AGE |        |       |
|-----------------|--------|-------|
| WEEKS           | NUMBER | PCNT  |
| LT. 7           | 1,331  | 29.0  |
| 7-8             | 1,481  | 32.2  |
| 9-10            | 833    | 18.1  |
| 11-12           | 642    | 14.0  |
| 13-14           | 237    | 5.2   |
| 15-16           | 60     | 1.3   |
| 17-20           | 0      | 0.0   |
| UNKNOWN         | 11     | 0.2   |
| TOTAL           | 4,595  | 100.0 |

| INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE |           |         |       |        |        |       |           |         |       |
|-------------------------------------------------------------------------------|-----------|---------|-------|--------|--------|-------|-----------|---------|-------|
|                                                                               | ALL RACES |         |       | WHITES |        |       | NONWHITES |         |       |
| AGE                                                                           | ITOPs     | POP     | RATE* | ITOPs  | POP    | RATE* | ITOPs     | POP     | RATE* |
| 10-44                                                                         | 4,560     | 235,947 | 19.3  | 822    | 88,384 | 9.3   | 3,677     | 147,563 | 24.9  |
| 10-14                                                                         | 19        | 33,613  | 0.6   | 1      | 11,754 | 0.1   | 18        | 21,859  | 0.8   |
| 15-17                                                                         | 166       | 20,976  | 7.9   | 28     | 7,097  | 3.9   | 138       | 13,879  | 9.9   |
| 18-19                                                                         | 348       | 14,082  | 24.7  | 55     | 4,818  | 11.4  | 293       | 9,264   | 31.6  |
| 20-24                                                                         | 1,541     | 34,920  | 44.1  | 246    | 12,536 | 19.6  | 1,273     | 22,384  | 56.9  |
| 25-29                                                                         | 1,204     | 34,738  | 34.7  | 242    | 13,997 | 17.3  | 944       | 20,741  | 45.5  |
| 30-34                                                                         | 786       | 33,373  | 23.6  | 142    | 12,888 | 11.0  | 637       | 20,485  | 31.1  |
| 35-39                                                                         | 372       | 31,289  | 11.9  | 79     | 11,981 | 6.6   | 283       | 19,308  | 14.7  |
| 40-44                                                                         | 124       | 32,956  | 3.8   | 29     | 13,313 | 2.2   | 91        | 19,643  | 4.6   |
| *Per 1,000 population.                                                        |           |         |       |        |        |       |           |         |       |

| INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN |           |        |         |        |        |         |           |        |         |
|----------------------------------------------------------------------------------|-----------|--------|---------|--------|--------|---------|-----------|--------|---------|
|                                                                                  | ALL RACES |        |         | WHITES |        |         | NONWHITES |        |         |
| AGE                                                                              | ITOPs     | BIRTHS | RATIO** | ITOPs  | BIRTHS | RATIO** | ITOPs     | BIRTHS | RATIO** |
| 10-44                                                                            | 4,560     | 13,971 | 326.4   | 822    | 5,172  | 158.9   | 3,677     | 8,669  | 424.2   |
| 10-14                                                                            | 19        | 38     | 500.0   | 1      | 7      | 142.9   | 18        | 31     | 580.6   |
| 15-17                                                                            | 166       | 568    | 292.3   | 28     | 107    | 261.7   | 138       | 453    | 304.6   |
| 18-19                                                                            | 348       | 1,234  | 282.0   | 55     | 212    | 259.4   | 293       | 1,014  | 289.0   |
| 20-24                                                                            | 1,541     | 4,084  | 377.3   | 246    | 988    | 249.0   | 1,273     | 3,051  | 417.2   |
| 25-29                                                                            | 1,204     | 3,736  | 322.3   | 242    | 1,599  | 151.3   | 944       | 2,108  | 447.8   |
| 30-34                                                                            | 786       | 2,851  | 275.7   | 142    | 1,509  | 94.1    | 637       | 1,316  | 484.0   |
| 35-39                                                                            | 372       | 1,192  | 312.1   | 79     | 624    | 126.6   | 283       | 558    | 507.2   |
| 40-44                                                                            | 124       | 268    | 462.7   | 29     | 126    | 230.2   | 91        | 138    | 659.4   |
| **Number of ITOPs per 1,000 live births.                                         |           |        |         |        |        |         |           |        |         |

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

**DAVIDSON**

| MARITAL STATUS |        |       |
|----------------|--------|-------|
|                | NUMBER | PCNT  |
| MARRIED        | 308    | 14.3  |
| NOT MARRIED    | 1,590  | 73.6  |
| UNKNOWN        | 263    | 12.2  |
| TOTAL          | 2,161  | 100.0 |

| NUMBER OF PREVIOUS<br>ITOPs |       |       |
|-----------------------------|-------|-------|
| NUMBER                      | FREQ  | PCNT  |
| 0                           | 1,192 | 55.2  |
| 1                           | 513   | 23.7  |
| 2                           | 232   | 10.7  |
| 3                           | 108   | 5.0   |
| 4+                          | 83    | 3.8   |
| UNKNOWN                     | 33    | 1.5   |
| TOTAL                       | 2,161 | 100.0 |

| GESTATIONAL AGE |        |       |
|-----------------|--------|-------|
| WEEKS           | NUMBER | PCNT  |
| LT. 7           | 818    | 37.9  |
| 7-8             | 676    | 31.3  |
| 9-10            | 302    | 14.0  |
| 11-12           | 191    | 8.8   |
| 13-14           | 92     | 4.3   |
| 15-16           | 26     | 1.2   |
| 17-20           | 8      | 0.4   |
| UNKNOWN         | 48     | 2.2   |
| TOTAL           | 2,161  | 100.0 |

| INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE |           |         |       |        |         |       |           |        |       |
|-------------------------------------------------------------------------------|-----------|---------|-------|--------|---------|-------|-----------|--------|-------|
|                                                                               | ALL RACES |         |       | WHITES |         |       | NONWHITES |        |       |
| AGE                                                                           | ITOPs     | POP     | RATE* | ITOPs  | POP     | RATE* | ITOPs     | POP    | RATE* |
| 10-44                                                                         | 2,135     | 165,683 | 12.9  | 867    | 103,699 | 8.4   | 1,134     | 61,984 | 18.3  |
| 10-14                                                                         | 3         | 16,968  | 0.2   | 0      | 9,096   | 0.0   | 2         | 7,872  | 0.3   |
| 15-17                                                                         | 61        | 10,513  | 5.8   | 25     | 5,440   | 4.6   | 34        | 5,073  | 6.7   |
| 18-19                                                                         | 164       | 8,213   | 20.0  | 59     | 4,561   | 12.9  | 98        | 3,652  | 26.8  |
| 20-24                                                                         | 724       | 27,588  | 26.2  | 287    | 17,183  | 16.7  | 395       | 10,405 | 38.0  |
| 25-29                                                                         | 588       | 32,582  | 18.0  | 258    | 22,273  | 11.6  | 292       | 10,309 | 28.3  |
| 30-34                                                                         | 334       | 27,264  | 12.3  | 126    | 17,980  | 7.0   | 184       | 9,284  | 19.8  |
| 35-39                                                                         | 196       | 21,839  | 9.0   | 81     | 13,885  | 5.8   | 103       | 7,954  | 12.9  |
| 40-44                                                                         | 65        | 20,716  | 3.1   | 31     | 13,281  | 2.3   | 26        | 7,435  | 3.5   |
| *Per 1,000 population.                                                        |           |         |       |        |         |       |           |        |       |

\*Per 1,000 population.

| INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN |           |        |         |        |        |         |           |        |         |
|----------------------------------------------------------------------------------|-----------|--------|---------|--------|--------|---------|-----------|--------|---------|
|                                                                                  | ALL RACES |        |         | WHITES |        |         | NONWHITES |        |         |
| AGE                                                                              | ITOPs     | BIRTHS | RATIO** | ITOPs  | BIRTHS | RATIO** | ITOPs     | BIRTHS | RATIO** |
| 10-44                                                                            | 2,135     | 9,586  | 222.7   | 867    | 6,300  | 137.6   | 1,134     | 3,260  | 347.9   |
| 10-14                                                                            | 3         | 5      | 600.0   | 0      | 2      | 0.0     | 2         | 3      | 666.7   |
| 15-17                                                                            | 61        | 183    | 333.3   | 25     | 98     | 255.1   | 34        | 84     | 404.8   |
| 18-19                                                                            | 164       | 522    | 314.2   | 59     | 269    | 219.3   | 98        | 252    | 388.9   |
| 20-24                                                                            | 724       | 2,105  | 343.9   | 287    | 1,160  | 247.4   | 395       | 936    | 422.0   |
| 25-29                                                                            | 588       | 2,904  | 202.5   | 258    | 1,921  | 134.3   | 292       | 981    | 297.7   |
| 30-34                                                                            | 334       | 2,535  | 131.8   | 126    | 1,864  | 67.6    | 184       | 663    | 277.5   |
| 35-39                                                                            | 196       | 1,121  | 174.8   | 81     | 834    | 97.1    | 103       | 285    | 361.4   |
| 40-44                                                                            | 65        | 211    | 308.1   | 31     | 152    | 203.9   | 26        | 56     | 464.3   |
| **Number of ITOPs per 1,000 live births.                                         |           |        |         |        |        |         |           |        |         |

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

**KNOX**

| MARITAL STATUS |        |       |
|----------------|--------|-------|
|                | NUMBER | PCNT  |
| MARRIED        | 140    | 16.6  |
| NOT MARRIED    | 658    | 78.0  |
| UNKNOWN        | 46     | 5.5   |
| TOTAL          | 844    | 100.0 |

| NUMBER OF PREVIOUS<br>ITOPs |      |       |
|-----------------------------|------|-------|
| NUMBER                      | FREQ | PCNT  |
| 0                           | 534  | 63.3  |
| 1                           | 205  | 24.3  |
| 2                           | 58   | 6.9   |
| 3                           | 22   | 2.6   |
| 4+                          | 14   | 1.7   |
| UNKNOWN                     | 11   | 1.3   |
| TOTAL                       | 844  | 100.0 |

| GESTATIONAL AGE |        |       |
|-----------------|--------|-------|
| WEEKS           | NUMBER | PCNT  |
| LT. 7           | 335    | 39.7  |
| 7-8             | 269    | 31.9  |
| 9-10            | 100    | 11.8  |
| 11-12           | 67     | 7.9   |
| 13-14           | 38     | 4.5   |
| 15-16           | 15     | 1.8   |
| 17-20           | 1      | 0.1   |
| UNKNOWN         | 19     | 2.3   |
| TOTAL           | 844    | 100.0 |

| INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE |           |         |       |        |        |       |           |        |       |
|-------------------------------------------------------------------------------|-----------|---------|-------|--------|--------|-------|-----------|--------|-------|
|                                                                               | ALL RACES |         |       | WHITES |        |       | NONWHITES |        |       |
| AGE                                                                           | ITOPs     | POP     | RATE* | ITOPs  | POP    | RATE* | ITOPs     | POP    | RATE* |
| 10-44                                                                         | 836       | 105,281 | 7.9   | 617    | 89,229 | 6.9   | 194       | 16,052 | 12.1  |
| 10-14                                                                         | 1         | 12,741  | 0.1   | 1      | 10,510 | 0.1   | 0         | 2,231  | 0.0   |
| 15-17                                                                         | 32        | 8,462   | 3.8   | 24     | 7,036  | 3.4   | 8         | 1,426  | 5.6   |
| 18-19                                                                         | 68        | 6,342   | 10.7  | 53     | 5,293  | 10.0  | 14        | 1,049  | 13.3  |
| 20-24                                                                         | 304       | 19,259  | 15.8  | 216    | 16,135 | 13.4  | 79        | 3,124  | 25.3  |
| 25-29                                                                         | 208       | 15,317  | 13.6  | 154    | 13,145 | 11.7  | 47        | 2,172  | 21.6  |
| 30-34                                                                         | 121       | 14,646  | 8.3   | 92     | 12,452 | 7.4   | 24        | 2,194  | 10.9  |
| 35-39                                                                         | 79        | 13,861  | 5.7   | 60     | 11,853 | 5.1   | 17        | 2,008  | 8.5   |
| 40-44                                                                         | 23        | 14,653  | 1.6   | 17     | 12,805 | 1.3   | 5         | 1,848  | 2.7   |
| *Per 1,000 population.                                                        |           |         |       |        |        |       |           |        |       |

\*Per 1,000 population.

| INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN |           |        |         |        |        |         |           |        |         |
|----------------------------------------------------------------------------------|-----------|--------|---------|--------|--------|---------|-----------|--------|---------|
|                                                                                  | ALL RACES |        |         | WHITES |        |         | NONWHITES |        |         |
| AGE                                                                              | ITOPs     | BIRTHS | RATIO** | ITOPs  | BIRTHS | RATIO** | ITOPs     | BIRTHS | RATIO** |
| 10-44                                                                            | 836       | 5,138  | 162.7   | 617    | 4,405  | 140.1   | 194       | 714    | 271.7   |
| 10-14                                                                            | 1         | 7      | 142.9   | 1      | 4      | 250.0   | 0         | 3      | 0.0     |
| 15-17                                                                            | 32        | 105    | 304.8   | 24     | 76     | 315.8   | 8         | 29     | 275.9   |
| 18-19                                                                            | 68        | 300    | 226.7   | 53     | 238    | 222.7   | 14        | 61     | 229.5   |
| 20-24                                                                            | 304       | 1,215  | 250.2   | 216    | 979    | 220.6   | 79        | 230    | 343.5   |
| 25-29                                                                            | 208       | 1,566  | 132.8   | 154    | 1,380  | 111.6   | 47        | 182    | 258.2   |
| 30-34                                                                            | 121       | 1,283  | 94.3    | 92     | 1,151  | 79.9    | 24        | 130    | 184.6   |
| 35-39                                                                            | 79        | 548    | 144.2   | 60     | 482    | 124.5   | 17        | 61     | 278.7   |
| 40-44                                                                            | 23        | 114    | 201.8   | 17     | 95     | 178.9   | 5         | 18     | 277.8   |
| **Number of ITOPs per 1,000 live births.                                         |           |        |         |        |        |         |           |        |         |

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

**HAMILTON**

| MARITAL STATUS |      |       |
|----------------|------|-------|
|                | FREQ | PCNT  |
| MARRIED        | 48   | 15.7  |
| NOT MARRIED    | 246  | 80.4  |
| UNKNOWN        | 12   | 3.9   |
| TOTAL          | 306  | 100.0 |

| NUMBER OF PREVIOUS<br>ITOPs |      |       |
|-----------------------------|------|-------|
| NUMBER                      | FREQ | PCNT  |
| 0                           | 201  | 65.7  |
| 1                           | 71   | 23.2  |
| 2                           | 20   | 6.5   |
| 3                           | 6    | 2.0   |
| 4+                          | 5    | 1.6   |
| UNKNOWN                     | 3    | 1.0   |
| TOTAL                       | 306  | 100.0 |

| GESTATIONAL AGE |        |       |
|-----------------|--------|-------|
| WEEKS           | NUMBER | PCNT  |
| LT. 7           | 113    | 36.9  |
| 7-8             | 111    | 36.3  |
| 9-10            | 46     | 15.0  |
| 11-12           | 15     | 4.9   |
| 13-14           | 12     | 3.9   |
| 15-16           | 1      | 0.3   |
| 17-20           | 0      | 0.0   |
| UNKNOWN         | 8      | 2.6   |
| TOTAL           | 306    | 100.0 |

| INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE |           |        |       |        |        |       |           |        |       |
|-------------------------------------------------------------------------------|-----------|--------|-------|--------|--------|-------|-----------|--------|-------|
|                                                                               | ALL RACES |        |       | WHITES |        |       | NONWHITES |        |       |
| AGE                                                                           | ITOPs     | POP    | RATE* | ITOPs  | POP    | RATE* | ITOPs     | POP    | RATE* |
| 10-44                                                                         | 305       | 77,718 | 3.9   | 202    | 55,994 | 3.6   | 95        | 21,724 | 4.4   |
| 10-14                                                                         | 2         | 9,681  | 0.2   | 1      | 6,619  | 0.2   | 1         | 3,062  | 0.3   |
| 15-17                                                                         | 9         | 6,414  | 1.4   | 5      | 4,369  | 1.1   | 4         | 2,045  | 2.0   |
| 18-19                                                                         | 31        | 4,582  | 6.8   | 22     | 3,154  | 7.0   | 8         | 1,428  | 5.6   |
| 20-24                                                                         | 118       | 12,665 | 9.3   | 73     | 8,929  | 8.2   | 40        | 3,736  | 10.7  |
| 25-29                                                                         | 75        | 11,372 | 6.6   | 49     | 8,438  | 5.8   | 26        | 2,934  | 8.9   |
| 30-34                                                                         | 37        | 11,065 | 3.3   | 28     | 8,069  | 3.5   | 8         | 2,996  | 2.7   |
| 35-39                                                                         | 25        | 10,411 | 2.4   | 17     | 7,722  | 2.2   | 7         | 2,689  | 2.6   |
| 40-44                                                                         | 8         | 11,528 | 0.7   | 7      | 8,694  | 0.8   | 1         | 2,834  | 0.4   |
| *Per 1,000 population.                                                        |           |        |       |        |        |       |           |        |       |

| INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN |           |        |         |        |        |         |           |        |         |
|----------------------------------------------------------------------------------|-----------|--------|---------|--------|--------|---------|-----------|--------|---------|
|                                                                                  | ALL RACES |        |         | WHITES |        |         | NONWHITES |        |         |
| AGE                                                                              | ITOPs     | BIRTHS | RATIO** | ITOPs  | BIRTHS | RATIO** | ITOPs     | BIRTHS | RATIO** |
| 10-44                                                                            | 305       | 4,042  | 75.5    | 202    | 3,009  | 67.1    | 95        | 1,025  | 92.7    |
| 10-14                                                                            | 2         | 6      | 333.3   | 1      | 2      | 500.0   | 1         | 4      | 250.0   |
| 15-17                                                                            | 9         | 98     | 91.8    | 5      | 52     | 96.2    | 4         | 46     | 87.0    |
| 18-19                                                                            | 31        | 235    | 131.9   | 22     | 144    | 152.8   | 8         | 90     | 88.9    |
| 20-24                                                                            | 118       | 1,093  | 108.0   | 73     | 719    | 101.5   | 40        | 373    | 107.2   |
| 25-29                                                                            | 75        | 1,190  | 63.0    | 49     | 930    | 52.7    | 26        | 257    | 101.2   |
| 30-34                                                                            | 37        | 961    | 38.5    | 28     | 791    | 35.4    | 8         | 169    | 47.3    |
| 35-39                                                                            | 25        | 380    | 65.8    | 17     | 305    | 55.7    | 7         | 74     | 94.6    |
| 40-44                                                                            | 8         | 79     | 101.3   | 7      | 66     | 106.1   | 1         | 12     | 83.3    |
| **Number of ITOPs per 1,000 live births.                                         |           |        |         |        |        |         |           |        |         |

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

**MADISON**

| MARITAL STATUS |        |       |
|----------------|--------|-------|
|                | NUMBER | PCNT  |
| MARRIED        | 26     | 13.8  |
| NOT MARRIED    | 155    | 82.4  |
| UNKNOWN        | 7      | 3.7   |
| TOTAL          | 188    | 100.0 |

| NUMBER OF PREVIOUS<br>ITOPs |      |       |
|-----------------------------|------|-------|
| NUMBER                      | FREQ | PCNT  |
| 0                           | 102  | 54.3  |
| 1                           | 52   | 27.7  |
| 2                           | 22   | 11.7  |
| 3                           | 10   | 5.3   |
| 4+                          | 2    | 1.1   |
| UNKNOWN                     | 0    | 0.0   |
| TOTAL                       | 188  | 100.0 |

| GESTATIONAL AGE |        |       |
|-----------------|--------|-------|
| WEEKS           | NUMBER | PCNT  |
| LT. 7           | 76     | 40.4  |
| 7-8             | 58     | 30.9  |
| 9-10            | 26     | 13.8  |
| 11-12           | 18     | 9.6   |
| 13-14           | 8      | 4.3   |
| 15-16           | 1      | 0.5   |
| 17-20           | 1      | 0.5   |
| UNKNOWN         | 0      | 0.0   |
| TOTAL           | 188    | 100.0 |

| INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE |           |       |       |        |        |       |           |        |       |
|-------------------------------------------------------------------------------|-----------|-------|-------|--------|--------|-------|-----------|--------|-------|
|                                                                               | ALL RACES |       |       | WHITES |        |       | NONWHITES |        |       |
| AGE                                                                           | ITOPs     | POP   | RATE* | ITOPs  | POP    | RATE* | ITOPs     | POP    | RATE* |
| 10-44                                                                         | 187       | 23575 | 7.9   | 52     | 12,720 | 4.1   | 132       | 10,855 | 12.2  |
| 10-14                                                                         | 3         | 3042  | 1.0   | 0      | 1,574  | 0.0   | 3         | 1,468  | 2.0   |
| 15-17                                                                         | 6         | 2238  | 2.7   | 4      | 1,109  | 3.6   | 2         | 1,129  | 1.8   |
| 18-19                                                                         | 14        | 1582  | 8.8   | 5      | 795    | 6.3   | 9         | 787    | 11.4  |
| 20-24                                                                         | 61        | 4051  | 15.1  | 17     | 2,147  | 7.9   | 44        | 1,904  | 23.1  |
| 25-29                                                                         | 48        | 3276  | 14.7  | 12     | 1,872  | 6.4   | 35        | 1,404  | 24.9  |
| 30-34                                                                         | 36        | 3194  | 11.3  | 9      | 1,791  | 5.0   | 25        | 1,403  | 17.8  |
| 35-39                                                                         | 15        | 2939  | 5.1   | 3      | 1,607  | 1.9   | 12        | 1,332  | 9.0   |
| 40-44                                                                         | 4         | 3253  | 1.2   | 2      | 1,825  | 1.1   | 2         | 1,428  | 1.4   |

\*Per 1,000 population.

| INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN |           |        |         |        |        |         |           |        |         |
|----------------------------------------------------------------------------------|-----------|--------|---------|--------|--------|---------|-----------|--------|---------|
|                                                                                  | ALL RACES |        |         | WHITES |        |         | NONWHITES |        |         |
| AGE                                                                              | ITOPs     | BIRTHS | RATIO** | ITOPs  | BIRTHS | RATIO** | ITOPs     | BIRTHS | RATIO** |
| 10-44                                                                            | 187       | 1,269  | 147.4   | 52     | 654    | 79.5    | 132       | 610    | 216.4   |
| 10-14                                                                            | 3         | 2      | 1,500.0 | 0      | 0      | -       | 3         | 2      | 1,500.0 |
| 15-17                                                                            | 6         | 44     | 136.4   | 4      | 17     | 235.3   | 2         | 27     | 74.1    |
| 18-19                                                                            | 14        | 104    | 134.6   | 5      | 41     | 122.0   | 9         | 62     | 145.2   |
| 20-24                                                                            | 61        | 435    | 140.2   | 17     | 184    | 92.4    | 44        | 250    | 176.0   |
| 25-29                                                                            | 48        | 365    | 131.5   | 12     | 198    | 60.6    | 35        | 164    | 213.4   |
| 30-34                                                                            | 36        | 214    | 168.2   | 9      | 141    | 63.8    | 25        | 73     | 342.5   |
| 35-39                                                                            | 15        | 87     | 172.4   | 3      | 58     | 51.7    | 12        | 29     | 413.8   |
| 40-44                                                                            | 4         | 18     | 222.2   | 2      | 15     | 133.3   | 2         | 3      | 666.7   |

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2011**

**SULLIVAN**

| MARITAL STATUS |        |       |
|----------------|--------|-------|
|                | NUMBER | PCNT  |
| MARRIED        | 3      | 9.1   |
| NOT MARRIED    | 29     | 87.9  |
| UNKNOWN        | 1      | 3.0   |
| TOTAL          | 33     | 100.0 |

| NUMBER OF PREVIOUS<br>ITOPs |      |       |
|-----------------------------|------|-------|
| NUMBER                      | FREQ | PCNT  |
| 0                           | 19   | 57.6  |
| 1                           | 12   | 36.4  |
| 2                           | 1    | 3.0   |
| 3                           | 0    | 0.0   |
| 4+                          | 0    | 0.0   |
| UNKNOWN                     | 1    | 3.0   |
| TOTAL                       | 33   | 100.0 |

| GESTATIONAL AGE |        |       |
|-----------------|--------|-------|
| WEEKS           | NUMBER | PCNT  |
| LT. 7           | 9      | 27.3  |
| 7-8             | 10     | 30.3  |
| 9-10            | 2      | 6.1   |
| 11-12           | 6      | 18.2  |
| 13-14           | 3      | 9.1   |
| 15-16           | 3      | 9.1   |
| 17-20           | 0      | 0.0   |
| UNKNOWN         | 0      | 0.0   |
| TOTAL           | 33     | 100.0 |

| INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE |           |        |       |        |        |       |           |       |       |
|-------------------------------------------------------------------------------|-----------|--------|-------|--------|--------|-------|-----------|-------|-------|
|                                                                               | ALL RACES |        |       | WHITES |        |       | NONWHITES |       |       |
| AGE                                                                           | ITOPs     | POP    | RATE* | ITOPs  | POP    | RATE* | ITOPs     | POP   | RATE* |
| 10-44                                                                         | 32        | 31,982 | 1.0   | 30     | 30,426 | 1.0   | 1         | 1,556 | 0.6   |
| 10-14                                                                         | 0         | 4,689  | 0.0   | 0      | 4,399  | 0.0   | 0         | 290   | 0.0   |
| 15-17                                                                         | 1         | 2,703  | 0.4   | 1      | 2,525  | 0.4   | 0         | 178   | 0.0   |
| 18-19                                                                         | 3         | 1,760  | 1.7   | 3      | 1,650  | 1.8   | 0         | 110   | 0.0   |
| 20-24                                                                         | 11        | 4,252  | 2.6   | 10     | 4,036  | 2.5   | 1         | 216   | 4.6   |
| 25-29                                                                         | 9         | 4,022  | 2.2   | 8      | 3,820  | 2.1   | 0         | 202   | 0.0   |
| 30-34                                                                         | 4         | 4,213  | 0.9   | 4      | 4,026  | 1.0   | 0         | 187   | 0.0   |
| 35-39                                                                         | 2         | 4,772  | 0.4   | 2      | 4,593  | 0.4   | 0         | 179   | 0.0   |
| 40-44                                                                         | 2         | 5,571  | 0.4   | 2      | 5,377  | 0.4   | 0         | 194   | 0.0   |
| *Per 1,000 population.                                                        |           |        |       |        |        |       |           |       |       |

| INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN |           |        |         |        |        |         |           |        |         |
|----------------------------------------------------------------------------------|-----------|--------|---------|--------|--------|---------|-----------|--------|---------|
|                                                                                  | ALL RACES |        |         | WHITES |        |         | NONWHITES |        |         |
| AGE                                                                              | ITOPs     | BIRTHS | RATIO** | ITOPs  | BIRTHS | RATIO** | ITOPs     | BIRTHS | RATIO** |
| 10-44                                                                            | 32        | 1,497  | 21.4    | 30     | 1,435  | 20.9    | 1         | 58     | 17.2    |
| 10-14                                                                            | 0         | 1      | 0.0     | 0      | 1      | 0.0     | 0         | 0      | -       |
| 15-17                                                                            | 1         | 53     | 18.9    | 1      | 49     | 20.4    | 0         | 4      | 0.0     |
| 18-19                                                                            | 3         | 144    | 20.8    | 3      | 137    | 21.9    | 0         | 7      | 0.0     |
| 20-24                                                                            | 11        | 444    | 24.8    | 10     | 427    | 23.4    | 1         | 15     | 66.7    |
| 25-29                                                                            | 9         | 424    | 21.2    | 8      | 408    | 19.6    | 0         | 15     | 0.0     |
| 30-34                                                                            | 4         | 285    | 14.0    | 4      | 275    | 14.5    | 0         | 9      | 0.0     |
| 35-39                                                                            | 2         | 114    | 17.5    | 2      | 107    | 18.7    | 0         | 7      | 0.0     |
| 40-44                                                                            | 2         | 32     | 62.5    | 2      | 31     | 64.5    | 0         | 1      | 0.0     |
| **Number of ITOPs per 1,000 live births.                                         |           |        |         |        |        |         |           |        |         |

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.