

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=ALL COUNTIES

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	613,214	34,770
1	MALIGNANT NEOPLASMS	116,575	8,944
2	DISEASES OF HEART	104,582	7,320
3	ACCIDENTS AND ADVERSE EFFECTS	103,857	3,346
4	SUICIDE	31,580	1,016
5	CHRONIC LOWER RESPIRATORY DISEASES	23,318	2,084
6	ASSAULT (HOMICIDE)	22,748	549
7	CERTAIN PERINATAL CONDITIONS	18,725	252
8	CEREBROVASCULAR DISEASE	16,942	1,271
9	DIABETES MELLITUS	15,878	1,097
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	14,342	804

COUNTY=ANDERSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	7,240	411
1	ACCIDENTS AND ADVERSE EFFECTS	1,428	49
2	DISEASES OF HEART	1,327	83
3	MALIGNANT NEOPLASMS	1,164	97
4	SUICIDE	407	14
5	CERTAIN PERINATAL CONDITIONS	298	4
6	CHRONIC LOWER RESPIRATORY DISEASES	295	30
7	DIABETES MELLITUS	199	18
8	PNEUMONIA AND INFLUENZA	152	6
9	OTHER DISEASES OF RESPIRATORY SYSTEM	113	6
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	99	7

COUNTY=BEDFORD

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,326	303
1	MALIGNANT NEOPLASMS	1,147	83
2	DISEASES OF HEART	1,056	72
3	ACCIDENTS AND ADVERSE EFFECTS	485	21
4	CERTAIN PERINATAL CONDITIONS	298	4
5	CONGENITAL ANOMALIES	298	4
6	SUICIDE	209	7
7	CHRONIC LOWER RESPIRATORY DISEASES	174	17
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	160	9
9	VIRAL HEPATITIS	118	5
10	CEREBROVASCULAR DISEASE	111	11

COUNTY=BENTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,098	140
1	MALIGNANT NEOPLASMS	561	42
2	DISEASES OF HEART	315	30
3	ACCIDENTS AND ADVERSE EFFECTS	246	12
4	SUICIDE	98	5
5	PNEUMONIA AND INFLUENZA	69	7

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=BENTON

Rank	Cause	YPLL	Deaths
6	CEREBROVASCULAR DISEASE	58	5
7	CHRONIC LOWER RESPIRATORY DISEASES	48	5

COUNTY=BLED SOE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	941	60
1	DISEASES OF HEART	287	23
2	ACCIDENTS AND ADVERSE EFFECTS	170	5
3	MALIGNANT NEOPLASMS	156	12
4	CHRONIC LOWER RESPIRATORY DISEASES	79	7

COUNTY=BLOUNT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	10,843	669
1	MALIGNANT NEOPLASMS	2,311	178
2	ACCIDENTS AND ADVERSE EFFECTS	1,605	55
3	DISEASES OF HEART	1,271	91
4	SUICIDE	708	25
5	CHRONIC LOWER RESPIRATORY DISEASES	389	47
6	CEREBROVASCULAR DISEASE	298	25
7	CONGENITAL ANOMALIES	266	5
8	DIABETES MELLITUS	229	18
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	180	9
10	OTHER DISEASES OF RESPIRATORY SYSTEM	164	10

COUNTY=BRADLEY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	7,990	505
1	DISEASES OF HEART	1,848	136
2	MALIGNANT NEOPLASMS	1,589	129
3	ACCIDENTS AND ADVERSE EFFECTS	1,100	32
4	SUICIDE	412	13
5	CEREBROVASCULAR DISEASE	296	21
6	CHRONIC LOWER RESPIRATORY DISEASES	271	31
7	ASSAULT (HOMICIDE)	198	5
8	DIABETES MELLITUS	172	13
9	PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	133	6
10	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	121	11

COUNTY=CAMPBELL

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,438	330
1	DISEASES OF HEART	1,331	73
2	MALIGNANT NEOPLASMS	1,038	85
3	ACCIDENTS AND ADVERSE EFFECTS	612	20
4	CHRONIC LOWER RESPIRATORY DISEASES	428	36
5	SUICIDE	199	7
6	DIABETES MELLITUS	160	9

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=CAMPBELL

Rank	Cause	YPLL	Deaths
7	PNEUMONIA AND INFLUENZA	124	8
8	CEREBROVASCULAR DISEASE	116	12
9	HYPERTENSION AND RENAL DISEASE	83	6
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	79	7

COUNTY=CANNON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,461	86
1	ACCIDENTS AND ADVERSE EFFECTS	281	11
2	DISEASES OF HEART	205	19
3	MALIGNANT NEOPLASMS	193	15
4	CHRONIC LOWER RESPIRATORY DISEASES	121	11
5	SEPTICEMIA	82	4

COUNTY=CARROLL

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,003	190
1	MALIGNANT NEOPLASMS	779	67
2	DISEASES OF HEART	764	48
3	ACCIDENTS AND ADVERSE EFFECTS	433	15
4	SUICIDE	152	4
5	PNEUMONIA AND INFLUENZA	92	4
6	CEREBROVASCULAR DISEASE	90	9
7	CHRONIC LOWER RESPIRATORY DISEASES	78	5

COUNTY=CARTER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,447	337
1	MALIGNANT NEOPLASMS	1,072	84
2	ACCIDENTS AND ADVERSE EFFECTS	942	31
3	DISEASES OF HEART	842	64
4	CHRONIC LOWER RESPIRATORY DISEASES	283	26
5	SUICIDE	274	8
6	DIABETES MELLITUS	258	16
7	PNEUMONIA AND INFLUENZA	141	11
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	119	7
9	CEREBROVASCULAR DISEASE	116	12
10	OTHER DISEASES OF RESPIRATORY SYSTEM	79	7

COUNTY=CHEATHAM

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,461	235
1	MALIGNANT NEOPLASMS	877	59
2	ACCIDENTS AND ADVERSE EFFECTS	800	29
3	DISEASES OF HEART	607	36
4	CERTAIN PERINATAL CONDITIONS	373	5
5	CHRONIC LOWER RESPIRATORY DISEASES	286	21
6	DIABETES MELLITUS	246	12

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=CHEATHAM

Rank	Cause	YPLL	Deaths
7	SUICIDE	215	6
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	205	10
9	CEREBROVASCULAR DISEASE	114	8
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	58	5

COUNTY=CHESTER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,290	80
1	MALIGNANT NEOPLASMS	328	25
2	ACCIDENTS AND ADVERSE EFFECTS	243	6
3	DISEASES OF HEART	239	18
4	CHRONIC LOWER RESPIRATORY DISEASES	83	6
5	CEREBROVASCULAR DISEASE	82	4

COUNTY=CLAIBORNE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,942	251
1	ACCIDENTS AND ADVERSE EFFECTS	884	30
2	DISEASES OF HEART	822	64
3	MALIGNANT NEOPLASMS	557	54
4	SUICIDE	230	9
5	CEREBROVASCULAR DISEASE	196	12
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	175	10
7	CHRONIC LOWER RESPIRATORY DISEASES	117	14
8	PNEUMONIA AND INFLUENZA	110	9
9	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	89	7
10	ALZHEIMER'S DISEASE	22	4

COUNTY=CLAY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,271	64
1	ACCIDENTS AND ADVERSE EFFECTS	315	10
2	DISEASES OF HEART	187	14
3	CHRONIC LOWER RESPIRATORY DISEASES	161	7
4	MALIGNANT NEOPLASMS	111	11

COUNTY=COCKE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,826	304
1	DISEASES OF HEART	1,411	102
2	MALIGNANT NEOPLASMS	948	76
3	ACCIDENTS AND ADVERSE EFFECTS	592	20
4	CHRONIC LOWER RESPIRATORY DISEASES	281	22
5	SUICIDE	219	7
6	ASSAULT (HOMICIDE)	215	6
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	170	9
8	DIABETES MELLITUS	119	7

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=COCKE

Rank	Cause	YPLL	Deaths
9	CEREBROVASCULAR DISEASE	84	8
10	OTHER DISEASES OF RESPIRATORY SYSTEM	58	5

COUNTY=COFFEE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,540	328
1	DISEASES OF HEART	1,042	73
2	MALIGNANT NEOPLASMS	1,012	73
3	ACCIDENTS AND ADVERSE EFFECTS	1,005	31
4	SUICIDE	356	12
5	CHRONIC LOWER RESPIRATORY DISEASES	245	26
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	208	16
7	CEREBROVASCULAR DISEASE	158	16
8	DIABETES MELLITUS	152	9
9	OTHER DISEASES OF CIRCULATORY SYSTEM	99	7
10	OTHER DISEASES OF RESPIRATORY SYSTEM	83	6

COUNTY=CROCKETT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,375	82
1	DISEASES OF HEART	291	22
2	MALIGNANT NEOPLASMS	277	23
3	ACCIDENTS AND ADVERSE EFFECTS	164	4
4	CEREBROVASCULAR DISEASE	102	4
5	CHRONIC LOWER RESPIRATORY DISEASES	48	5

COUNTY=CUMBERLAND

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,136	341
1	MALIGNANT NEOPLASMS	1,058	96
2	DISEASES OF HEART	808	56
3	ACCIDENTS AND ADVERSE EFFECTS	609	23
4	SUICIDE	432	13
5	CHRONIC LOWER RESPIRATORY DISEASES	344	28
6	DIABETES MELLITUS	278	25
7	HYPERTENSION AND RENAL DISEASE	202	13
8	CEREBROVASCULAR DISEASE	161	11
9	OTHER DISEASES OF RESPIRATORY SYSTEM	149	7
10	VIRAL HEPATITIS	148	5

COUNTY=DAVIDSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	57,215	2,881
1	ACCIDENTS AND ADVERSE EFFECTS	11,709	370
2	MALIGNANT NEOPLASMS	9,335	674
3	DISEASES OF HEART	8,361	555
4	SUICIDE	3,517	106
5	ASSAULT (HOMICIDE)	3,389	83

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=DAVIDSON

Rank	Cause	YPLL	Deaths
6	CERTAIN PERINATAL CONDITIONS	2,682	36
7	CHRONIC LOWER RESPIRATORY DISEASES	1,974	160
8	DIABETES MELLITUS	1,614	108
9	CEREBROVASCULAR DISEASE	1,420	100
10	CONGENITAL ANOMALIES	1,360	23

COUNTY=DECATUR

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,138	81
1	DISEASES OF HEART	267	23
2	MALIGNANT NEOPLASMS	246	21
3	ACCIDENTS AND ADVERSE EFFECTS	206	8
4	DIABETES MELLITUS	93	6
5	CHRONIC LOWER RESPIRATORY DISEASES	22	4

COUNTY=DEKALB

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,368	128
1	DISEASES OF HEART	603	35
2	ACCIDENTS AND ADVERSE EFFECTS	443	11
3	MALIGNANT NEOPLASMS	329	27
4	SUICIDE	304	8
5	CHRONIC LOWER RESPIRATORY DISEASES	104	8
6	CEREBROVASCULAR DISEASE	63	6
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	52	4
8	PNEUMONIA AND INFLUENZA	22	4

COUNTY=DICKSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,119	329
1	ACCIDENTS AND ADVERSE EFFECTS	1,382	44
2	MALIGNANT NEOPLASMS	1,325	90
3	DISEASES OF HEART	833	66
4	CONGENITAL ANOMALIES	381	6
5	CHRONIC LOWER RESPIRATORY DISEASES	350	29
6	SUICIDE	285	10
7	ASSAULT (HOMICIDE)	172	4
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	165	10
9	CEREBROVASCULAR DISEASE	146	12
10	DIABETES MELLITUS	134	8

COUNTY=DYER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,492	271
1	MALIGNANT NEOPLASMS	1,261	78
2	DISEASES OF HEART	972	73
3	ACCIDENTS AND ADVERSE EFFECTS	360	12
4	CERTAIN PERINATAL CONDITIONS	298	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=DYER

Rank	Cause	YPLL	Deaths
5	CHRONIC LOWER RESPIRATORY DISEASES	281	22
6	DIABETES MELLITUS	134	8
7	CEREBROVASCULAR DISEASE	125	10
8	OTHER DISEASES OF RESPIRATORY SYSTEM	68	5

COUNTY=FAYETTE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,499	229
1	MALIGNANT NEOPLASMS	852	64
2	DISEASES OF HEART	842	64
3	ACCIDENTS AND ADVERSE EFFECTS	434	17
4	SUICIDE	172	4
5	CHRONIC LOWER RESPIRATORY DISEASES	154	17
6	ASSAULT (HOMICIDE)	148	5
7	CEREBROVASCULAR DISEASE	95	10
8	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	72	4
9	PNEUMONIA AND INFLUENZA	63	6
10	DIABETES MELLITUS	52	4

COUNTY=FENTRESS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,078	143
1	MALIGNANT NEOPLASMS	568	45
2	ACCIDENTS AND ADVERSE EFFECTS	242	9
3	DISEASES OF HEART	226	21
4	CHRONIC LOWER RESPIRATORY DISEASES	149	18
5	CEREBROVASCULAR DISEASE	94	8
6	DIABETES MELLITUS	53	6
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	52	4

COUNTY=FRANKLIN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,892	238
1	MALIGNANT NEOPLASMS	792	64
2	DISEASES OF HEART	746	52
3	ACCIDENTS AND ADVERSE EFFECTS	543	18
4	CHRONIC LOWER RESPIRATORY DISEASES	154	17
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	129	7
6	SEPTICEMIA	111	4
7	VIRAL HEPATITIS	102	4
8	SUICIDE	89	7
9	DIABETES MELLITUS	68	5
10	PNEUMONIA AND INFLUENZA	63	6

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=GIBSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,781	339
1	DISEASES OF HEART	1,393	106
2	MALIGNANT NEOPLASMS	855	66
3	ACCIDENTS AND ADVERSE EFFECTS	802	24
4	SUICIDE	224	8
5	CHRONIC LOWER RESPIRATORY DISEASES	205	19
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	139	7
7	SEPTICEMIA	124	8
8	DIABETES MELLITUS	119	7
9	CEREBROVASCULAR DISEASE	110	9
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	88	5

COUNTY=GILES

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,204	176
1	DISEASES OF HEART	655	41
2	ACCIDENTS AND ADVERSE EFFECTS	566	17
3	MALIGNANT NEOPLASMS	511	42
4	SUICIDE	321	11
5	CHRONIC LOWER RESPIRATORY DISEASES	125	10
6	CEREBROVASCULAR DISEASE	80	9
7	DIABETES MELLITUS	22	4

COUNTY=GRAINGER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,286	152
1	MALIGNANT NEOPLASMS	508	45
2	DISEASES OF HEART	406	32
3	ACCIDENTS AND ADVERSE EFFECTS	349	14
4	CHRONIC LOWER RESPIRATORY DISEASES	111	11
5	SUICIDE	102	4
6	CEREBROVASCULAR DISEASE	78	5
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	72	4
8	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	42	4

COUNTY=GREENE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	8,126	473
1	MALIGNANT NEOPLASMS	1,750	125
2	ACCIDENTS AND ADVERSE EFFECTS	1,480	49
3	DISEASES OF HEART	1,225	90
4	SUICIDE	336	12
5	CHRONIC LOWER RESPIRATORY DISEASES	324	28
6	DIABETES MELLITUS	299	18
7	CEREBROVASCULAR DISEASE	255	19
8	PNEUMONIA AND INFLUENZA	237	14
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	201	11
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	174	8

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=GRUNDY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,965	119
1	MALIGNANT NEOPLASMS	522	33
2	DISEASES OF HEART	373	26
3	ACCIDENTS AND ADVERSE EFFECTS	361	11
4	CHRONIC LOWER RESPIRATORY DISEASES	90	9
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	72	4

COUNTY=HAMBLEN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,619	394
1	ACCIDENTS AND ADVERSE EFFECTS	1,253	38
2	MALIGNANT NEOPLASMS	1,118	85
3	DISEASES OF HEART	1,010	80
4	SUICIDE	549	18
5	CHRONIC LOWER RESPIRATORY DISEASES	480	40
6	PNEUMONIA AND INFLUENZA	199	9
7	OTHER DISEASES OF RESPIRATORY SYSTEM	186	12
8	CEREBROVASCULAR DISEASE	168	16
9	DIABETES MELLITUS	156	12
10	SEPTICEMIA	99	7

COUNTY=HAMILTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	31,051	1,713
1	MALIGNANT NEOPLASMS	5,453	422
2	ACCIDENTS AND ADVERSE EFFECTS	5,202	146
3	DISEASES OF HEART	4,808	345
4	ASSAULT (HOMICIDE)	1,720	40
5	CHRONIC LOWER RESPIRATORY DISEASES	1,393	102
6	CEREBROVASCULAR DISEASE	1,315	86
7	CERTAIN PERINATAL CONDITIONS	1,267	17
8	DIABETES MELLITUS	1,109	67
9	SUICIDE	1,019	38
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	744	37

COUNTY=HANCOCK

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	880	49
1	DISEASES OF HEART	130	9
2	MALIGNANT NEOPLASMS	120	9
3	ACCIDENTS AND ADVERSE EFFECTS	88	5
4	CHRONIC LOWER RESPIRATORY DISEASES	72	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=HARDEMAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,050	187
1	DISEASES OF HEART	864	57
2	MALIGNANT NEOPLASMS	621	42
3	ASSAULT (HOMICIDE)	427	10
4	ACCIDENTS AND ADVERSE EFFECTS	138	5
5	CHRONIC LOWER RESPIRATORY DISEASES	106	12
6	DIABETES MELLITUS	104	8
7	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	72	4
8	CEREBROVASCULAR DISEASE	49	7

COUNTY=HARDIN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,324	201
1	DISEASES OF HEART	808	56
2	MALIGNANT NEOPLASMS	691	51
3	ACCIDENTS AND ADVERSE EFFECTS	612	22
4	CHRONIC LOWER RESPIRATORY DISEASES	110	9
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	109	7
6	DIABETES MELLITUS	72	4
7	SEPTICEMIA	42	4
8	PNEUMONIA AND INFLUENZA	32	4

COUNTY=HAWKINS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,392	376
1	MALIGNANT NEOPLASMS	1,453	106
2	DISEASES OF HEART	1,079	78
3	ACCIDENTS AND ADVERSE EFFECTS	989	38
4	CONGENITAL ANOMALIES	304	5
5	CHRONIC LOWER RESPIRATORY DISEASES	272	24
6	DIABETES MELLITUS	252	13
7	SUICIDE	239	7
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	225	10
9	PNEUMONIA AND INFLUENZA	135	10
10	OTHER DISEASES OF RESPIRATORY SYSTEM	114	8

COUNTY=HAYWOOD

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,539	98
1	DISEASES OF HEART	386	32
2	MALIGNANT NEOPLASMS	353	26
3	CEREBROVASCULAR DISEASE	160	9
4	ACCIDENTS AND ADVERSE EFFECTS	124	4
5	CHRONIC LOWER RESPIRATORY DISEASES	58	5

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=HENDERSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,986	184
1	MALIGNANT NEOPLASMS	656	52
2	DISEASES OF HEART	485	30
3	ACCIDENTS AND ADVERSE EFFECTS	467	14
4	CEREBROVASCULAR DISEASE	161	11
5	CHRONIC LOWER RESPIRATORY DISEASES	127	14
6	DIABETES MELLITUS	81	11
7	SEPTICEMIA	74	8
8	OTHER DISEASES OF RESPIRATORY SYSTEM	42	4

COUNTY=HENRY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,528	253
1	MALIGNANT NEOPLASMS	772	73
2	DISEASES OF HEART	666	61
3	ACCIDENTS AND ADVERSE EFFECTS	361	13
4	SUICIDE	260	9
5	CHRONIC LOWER RESPIRATORY DISEASES	225	19
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	123	6
7	DIABETES MELLITUS	110	9
8	CEREBROVASCULAR DISEASE	63	6
9	PNEUMONIA AND INFLUENZA	32	4
10	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	22	4

COUNTY=HICKMAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,589	154
1	ACCIDENTS AND ADVERSE EFFECTS	581	18
2	DISEASES OF HEART	400	29
3	MALIGNANT NEOPLASMS	346	32
4	PNEUMONIA AND INFLUENZA	98	5
5	CHRONIC LOWER RESPIRATORY DISEASES	90	9
6	CEREBROVASCULAR DISEASE	42	4

COUNTY=HOUSTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	827	54
1	DISEASES OF HEART	181	11
2	ACCIDENTS AND ADVERSE EFFECTS	142	4
3	MALIGNANT NEOPLASMS	135	10
4	CHRONIC LOWER RESPIRATORY DISEASES	58	5
5	CEREBROVASCULAR DISEASE	53	6

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=HUMPHREYS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,747	107
1	MALIGNANT NEOPLASMS	386	32
2	ACCIDENTS AND ADVERSE EFFECTS	363	15
3	DISEASES OF HEART	312	24
4	CHRONIC LIVER DISEASE AND CIRRHOSIS	128	5
5	CHRONIC LOWER RESPIRATORY DISEASES	80	9

COUNTY=JACKSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,204	82
1	DISEASES OF HEART	276	21
2	MALIGNANT NEOPLASMS	227	23
3	ACCIDENTS AND ADVERSE EFFECTS	226	8
4	PNEUMONIA AND INFLUENZA	72	4
5	CHRONIC LOWER RESPIRATORY DISEASES	32	4

COUNTY=JEFFERSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,705	298
1	DISEASES OF HEART	964	77
2	MALIGNANT NEOPLASMS	901	71
3	ACCIDENTS AND ADVERSE EFFECTS	627	23
4	SUICIDE	270	9
5	CHRONIC LOWER RESPIRATORY DISEASES	219	18
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	159	7
7	DIABETES MELLITUS	130	9
8	CEREBROVASCULAR DISEASE	84	8
9	BENIGN NEOPLASMS	82	4
10	PNEUMONIA AND INFLUENZA	78	5

COUNTY=JOHNSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,180	124
1	MALIGNANT NEOPLASMS	438	36
2	DISEASES OF HEART	233	15
3	ACCIDENTS AND ADVERSE EFFECTS	201	7
4	CHRONIC LIVER DISEASE AND CIRRHOSIS	118	5
5	PNEUMONIA AND INFLUENZA	103	6
6	OTHER DISEASES OF RESPIRATORY SYSTEM	88	5
7	CHRONIC LOWER RESPIRATORY DISEASES	43	6
8	DIABETES MELLITUS	22	4

COUNTY=KNOX

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	39,024	2,193
1	ACCIDENTS AND ADVERSE EFFECTS	8,742	283
2	MALIGNANT NEOPLASMS	6,963	551
3	DISEASES OF HEART	6,398	434

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=KNOX

Rank	Cause	YPLL	Deaths
4	SUICIDE	1,691	62
5	CHRONIC LOWER RESPIRATORY DISEASES	1,345	119
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	1,294	68
7	ASSAULT (HOMICIDE)	953	23
8	CERTAIN PERINATAL CONDITIONS	894	12
9	CEREBROVASCULAR DISEASE	836	63
10	DIABETES MELLITUS	760	60

COUNTY=LAKE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	887	56
1	DISEASES OF HEART	288	16
2	MALIGNANT NEOPLASMS	94	8
3	CEREBROVASCULAR DISEASE	82	4
4	DIABETES MELLITUS	48	5
5	CHRONIC LOWER RESPIRATORY DISEASES	38	5

COUNTY=LAUDERDALE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,134	179
1	MALIGNANT NEOPLASMS	697	54
2	ACCIDENTS AND ADVERSE EFFECTS	581	18
3	DISEASES OF HEART	510	40
4	CEREBROVASCULAR DISEASE	201	11
5	SUICIDE	132	4
6	CHRONIC LOWER RESPIRATORY DISEASES	68	5

COUNTY=LAWRENCE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,574	266
1	MALIGNANT NEOPLASMS	922	73
2	DISEASES OF HEART	857	59
3	ACCIDENTS AND ADVERSE EFFECTS	496	16
4	SUICIDE	296	8
5	CEREBROVASCULAR DISEASE	152	9
6	SEPTICEMIA	134	4
7	CHRONIC LOWER RESPIRATORY DISEASES	117	14
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	114	8
9	PNEUMONIA AND INFLUENZA	99	7
10	PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	68	5

COUNTY=LEWIS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,156	74
1	DISEASES OF HEART	286	21
2	SUICIDE	204	8
3	ACCIDENTS AND ADVERSE EFFECTS	163	6

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=LEWIS

Rank	Cause	YPLL	Deaths
4	MALIGNANT NEOPLASMS	137	14
5	DIABETES MELLITUS	48	5

COUNTY=LINCOLN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,629	204
1	DISEASES OF HEART	964	68
2	MALIGNANT NEOPLASMS	809	58
3	ACCIDENTS AND ADVERSE EFFECTS	540	20
4	SUICIDE	138	5
5	DIABETES MELLITUS	102	4
6	CEREBROVASCULAR DISEASE	85	10
7	CHRONIC LOWER RESPIRATORY DISEASES	48	5

COUNTY=LOUDON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,142	312
1	MALIGNANT NEOPLASMS	1,166	92
2	ACCIDENTS AND ADVERSE EFFECTS	761	31
3	DISEASES OF HEART	700	49
4	CERTAIN PERINATAL CONDITIONS	298	4
5	CHRONIC LOWER RESPIRATORY DISEASES	209	18
6	EVENTS OF UNDETERMINED INTENT	202	6
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	180	9
8	CEREBROVASCULAR DISEASE	125	10
9	SEPTICEMIA	103	6
10	OTHER DISEASES OF RESPIRATORY SYSTEM	88	5

COUNTY=MCMINN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,827	347
1	ACCIDENTS AND ADVERSE EFFECTS	1,273	38
2	DISEASES OF HEART	1,080	69
3	MALIGNANT NEOPLASMS	837	83
4	SUICIDE	310	9
5	CHRONIC LOWER RESPIRATORY DISEASES	194	17
6	HYPERTENSION AND RENAL DISEASE	181	11
7	ASSAULT (HOMICIDE)	128	5
8	OTHER DISEASES OF RESPIRATORY SYSTEM	119	7
9	ATHEROSCLEROSIS	114	8
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	113	6

COUNTY=MCAIRY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,050	187
1	MALIGNANT NEOPLASMS	706	52
2	DISEASES OF HEART	621	42
3	ACCIDENTS AND ADVERSE EFFECTS	454	13

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=MCNAIRY

Rank	Cause	YPLL	Deaths
4	DIABETES MELLITUS	136	12
5	CEREBROVASCULAR DISEASE	124	8
6	SUICIDE	122	4
7	CHRONIC LOWER RESPIRATORY DISEASES	106	12
8	SEPTICEMIA	78	5
9	PNEUMONIA AND INFLUENZA	32	4
10	ALZHEIMER'S DISEASE	22	4

COUNTY=MACON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,306	150
1	ACCIDENTS AND ADVERSE EFFECTS	556	23
2	DISEASES OF HEART	454	33
3	MALIGNANT NEOPLASMS	409	38
4	SUICIDE	294	8
5	SEPTICEMIA	118	5
6	CHRONIC LOWER RESPIRATORY DISEASES	115	10
7	CEREBROVASCULAR DISEASE	42	4

COUNTY=MADISON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	9,116	522
1	MALIGNANT NEOPLASMS	1,807	139
2	DISEASES OF HEART	1,520	109
3	ACCIDENTS AND ADVERSE EFFECTS	1,519	42
4	CEREBROVASCULAR DISEASE	423	26
5	ASSAULT (HOMICIDE)	382	9
6	CERTAIN PERINATAL CONDITIONS	373	5
7	SUICIDE	332	13
8	SEPTICEMIA	248	16
9	CHRONIC LOWER RESPIRATORY DISEASES	211	22
10	DIABETES MELLITUS	187	14

COUNTY=MARION

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,380	227
1	DISEASES OF HEART	698	56
2	MALIGNANT NEOPLASMS	626	52
3	ACCIDENTS AND ADVERSE EFFECTS	427	14
4	CHRONIC LOWER RESPIRATORY DISEASES	301	22
5	SUICIDE	159	7
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	125	10
7	CEREBROVASCULAR DISEASE	80	9
8	DIABETES MELLITUS	68	5
9	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	42	4
10	ALZHEIMER'S DISEASE	33	6

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=MARSHALL

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,214	194
1	DISEASES OF HEART	674	48
2	MALIGNANT NEOPLASMS	672	53
3	ACCIDENTS AND ADVERSE EFFECTS	616	21
4	SUICIDE	163	6
5	CHRONIC LOWER RESPIRATORY DISEASES	152	13
6	DIABETES MELLITUS	52	4
7	CEREBROVASCULAR DISEASE	52	4
8	PNEUMONIA AND INFLUENZA	32	4

COUNTY=MAURY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	7,195	454
1	MALIGNANT NEOPLASMS	1,749	138
2	DISEASES OF HEART	1,065	79
3	ACCIDENTS AND ADVERSE EFFECTS	953	35
4	SUICIDE	362	13
5	DIABETES MELLITUS	335	19
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	307	14
7	CHRONIC LOWER RESPIRATORY DISEASES	271	22
8	PNEUMONIA AND INFLUENZA	255	19
9	CEREBROVASCULAR DISEASE	156	12
10	OTHER DISEASES OF RESPIRATORY SYSTEM	118	7

COUNTY=MEIGS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,671	100
1	DISEASES OF HEART	409	27
2	MALIGNANT NEOPLASMS	339	27
3	ACCIDENTS AND ADVERSE EFFECTS	317	14
4	CHRONIC LOWER RESPIRATORY DISEASES	89	7
5	DIABETES MELLITUS	68	5

COUNTY=MONROE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,936	292
1	ACCIDENTS AND ADVERSE EFFECTS	1,117	39
2	MALIGNANT NEOPLASMS	1,108	76
3	DISEASES OF HEART	638	45
4	SUICIDE	376	12
5	CEREBROVASCULAR DISEASE	248	16
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	221	11
7	DIABETES MELLITUS	188	16
8	CHRONIC LOWER RESPIRATORY DISEASES	175	19
9	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	42	4
10	OTHER DISEASES OF RESPIRATORY SYSTEM	32	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=MONTGOMERY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	14,271	705
1	MALIGNANT NEOPLASMS	2,624	184
2	ACCIDENTS AND ADVERSE EFFECTS	2,345	67
3	DISEASES OF HEART	1,746	121
4	SUICIDE	987	30
5	CERTAIN PERINATAL CONDITIONS	745	10
6	ASSAULT (HOMICIDE)	744	17
7	CHRONIC LOWER RESPIRATORY DISEASES	566	41
8	DIABETES MELLITUS	504	28
9	CONGENITAL ANOMALIES	463	7
10	CEREBROVASCULAR DISEASE	411	31

COUNTY=MOORE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	407	25
1	MALIGNANT NEOPLASMS	150	9
2	DISEASES OF HEART	53	6

COUNTY=MORGAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,348	138
1	DISEASES OF HEART	567	34
2	MALIGNANT NEOPLASMS	516	41
3	ACCIDENTS AND ADVERSE EFFECTS	265	10
4	SUICIDE	219	7
5	CHRONIC LOWER RESPIRATORY DISEASES	110	9

COUNTY=OBION

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,572	169
1	MALIGNANT NEOPLASMS	751	62
2	DISEASES OF HEART	499	38
3	SUICIDE	324	8
4	ACCIDENTS AND ADVERSE EFFECTS	219	7
5	CHRONIC LOWER RESPIRATORY DISEASES	147	14
6	DIABETES MELLITUS	118	5
7	CEREBROVASCULAR DISEASE	92	4
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	82	4
9	SEPTICEMIA	22	4

COUNTY=OVERTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,628	164
1	MALIGNANT NEOPLASMS	664	48
2	ACCIDENTS AND ADVERSE EFFECTS	428	16
3	DISEASES OF HEART	385	39
4	SUICIDE	234	8
5	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	82	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=OVERTON

Rank	Cause	YPLL	Deaths
6	DIABETES MELLITUS	78	5
7	CHRONIC LOWER RESPIRATORY DISEASES	69	7
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	68	5

COUNTY=PERRY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,020	69
1	DISEASES OF HEART	316	21
2	MALIGNANT NEOPLASMS	254	17
3	ACCIDENTS AND ADVERSE EFFECTS	143	6
4	CHRONIC LOWER RESPIRATORY DISEASES	32	4
5	CEREBROVASCULAR DISEASE	22	4

COUNTY=PICKETT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	406	32
1	MALIGNANT NEOPLASMS	105	10
2	DISEASES OF HEART	89	7

COUNTY=POLK

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,808	123
1	MALIGNANT NEOPLASMS	497	43
2	DISEASES OF HEART	268	25
3	ACCIDENTS AND ADVERSE EFFECTS	241	11
4	CHRONIC LOWER RESPIRATORY DISEASES	89	7
5	OTHER DISEASES OF CIRCULATORY SYSTEM	62	4
6	DIABETES MELLITUS	42	4

COUNTY=PUTNAM

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	7,346	423
1	DISEASES OF HEART	1,490	100
2	MALIGNANT NEOPLASMS	1,204	97
3	ACCIDENTS AND ADVERSE EFFECTS	935	30
4	SUICIDE	744	20
5	CHRONIC LOWER RESPIRATORY DISEASES	415	39
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	212	13
7	PNEUMONIA AND INFLUENZA	165	10
8	CEREBROVASCULAR DISEASE	149	7
9	DIABETES MELLITUS	104	8
10	OTHER DISEASES OF RESPIRATORY SYSTEM	101	11

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=RHEA

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,640	218
1	DISEASES OF HEART	722	49
2	MALIGNANT NEOPLASMS	709	58
3	ACCIDENTS AND ADVERSE EFFECTS	473	15
4	SUICIDE	233	6
5	CHRONIC LOWER RESPIRATORY DISEASES	214	17
6	PNEUMONIA AND INFLUENZA	133	6
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	93	6
8	DIABETES MELLITUS	79	7
9	CEREBROVASCULAR DISEASE	68	5
10	OTHER DISEASES OF RESPIRATORY SYSTEM	43	6

COUNTY=ROANE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,826	374
1	ACCIDENTS AND ADVERSE EFFECTS	1,399	47
2	MALIGNANT NEOPLASMS	1,093	95
3	DISEASES OF HEART	878	76
4	CHRONIC LOWER RESPIRATORY DISEASES	293	26
5	SUICIDE	276	12
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	177	14
7	OTHER DISEASES OF CIRCULATORY SYSTEM	79	7
8	CEREBROVASCULAR DISEASE	74	8
9	DIABETES MELLITUS	58	5
10	PNEUMONIA AND INFLUENZA	58	5

COUNTY=ROBERTSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,380	369
1	MALIGNANT NEOPLASMS	1,484	104
2	ACCIDENTS AND ADVERSE EFFECTS	1,228	36
3	DISEASES OF HEART	1,064	77
4	SUICIDE	418	12
5	CHRONIC LOWER RESPIRATORY DISEASES	238	25
6	CEREBROVASCULAR DISEASE	228	16
7	PNEUMONIA AND INFLUENZA	228	16
8	DIABETES MELLITUS	151	11
9	SEPTICEMIA	89	7
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	63	6

COUNTY=RUTHERFORD

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	20,582	1,093
1	MALIGNANT NEOPLASMS	4,248	301
2	ACCIDENTS AND ADVERSE EFFECTS	3,674	106
3	DISEASES OF HEART	3,177	210
4	SUICIDE	1,280	40
5	CERTAIN PERINATAL CONDITIONS	1,192	16

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=RUTHERFORD

Rank	Cause	YPLL	Deaths
6	CHRONIC LOWER RESPIRATORY DISEASES	643	66
7	DIABETES MELLITUS	630	36
8	ASSAULT (HOMICIDE)	419	9
9	CEREBROVASCULAR DISEASE	412	35
10	CONGENITAL ANOMALIES	409	7

COUNTY=SCOTT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,545	143
1	MALIGNANT NEOPLASMS	508	45
2	ACCIDENTS AND ADVERSE EFFECTS	493	15
3	DISEASES OF HEART	355	19
4	SUICIDE	260	9
5	DIABETES MELLITUS	103	6
6	CHRONIC LOWER RESPIRATORY DISEASES	94	8
7	PNEUMONIA AND INFLUENZA	42	4
8	OTHER DISEASES OF RESPIRATORY SYSTEM	32	4
9	CEREBROVASCULAR DISEASE	22	4

COUNTY=SEQUATCHIE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,373	86
1	ACCIDENTS AND ADVERSE EFFECTS	294	8
2	DISEASES OF HEART	263	15
3	MALIGNANT NEOPLASMS	240	20
4	CHRONIC LOWER RESPIRATORY DISEASES	121	11
5	CEREBROVASCULAR DISEASE	48	5
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	42	4

COUNTY=SEVIER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	9,491	570
1	MALIGNANT NEOPLASMS	1,942	144
2	ACCIDENTS AND ADVERSE EFFECTS	1,664	61
3	DISEASES OF HEART	1,524	117
4	SUICIDE	500	20
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	473	26
6	CHRONIC LOWER RESPIRATORY DISEASES	439	38
7	CONGENITAL ANOMALIES	320	6
8	DIABETES MELLITUS	283	15
9	CEREBROVASCULAR DISEASE	183	15
10	PNEUMONIA AND INFLUENZA	177	14

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=SHELBY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	93,486	4,674
1	MALIGNANT NEOPLASMS	15,851	1,167
2	DISEASES OF HEART	15,046	985
3	ACCIDENTS AND ADVERSE EFFECTS	13,828	422
4	ASSAULT (HOMICIDE)	9,877	223
5	CERTAIN PERINATAL CONDITIONS	3,725	50
6	CEREBROVASCULAR DISEASE	2,937	196
7	SUICIDE	2,714	77
8	DIABETES MELLITUS	2,513	166
9	CONGENITAL ANOMALIES	2,308	36
10	CHRONIC LOWER RESPIRATORY DISEASES	1,803	162

COUNTY=SMITH

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,059	109
1	ACCIDENTS AND ADVERSE EFFECTS	488	16
2	DISEASES OF HEART	383	26
3	MALIGNANT NEOPLASMS	305	19
4	SUICIDE	132	4
5	CHRONIC LOWER RESPIRATORY DISEASES	110	9
6	DIABETES MELLITUS	93	6
7	OTHER DISEASES OF RESPIRATORY SYSTEM	32	4

COUNTY=STEWART

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,614	85
1	DISEASES OF HEART	324	28
2	MALIGNANT NEOPLASMS	275	19
3	ACCIDENTS AND ADVERSE EFFECTS	228	5
4	CEREBROVASCULAR DISEASE	62	4

COUNTY=SULLIVAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	15,887	982
1	MALIGNANT NEOPLASMS	3,010	249
2	DISEASES OF HEART	2,983	215
3	ACCIDENTS AND ADVERSE EFFECTS	1,848	76
4	SUICIDE	1,050	32
5	CHRONIC LOWER RESPIRATORY DISEASES	842	73
6	CEREBROVASCULAR DISEASE	635	39
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	540	29
8	SEPTICEMIA	457	23
9	DIABETES MELLITUS	393	26
10	OTHER DISEASES OF RESPIRATORY SYSTEM	323	17

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=SUMNER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	13,457	751
1	ACCIDENTS AND ADVERSE EFFECTS	2,756	79
2	MALIGNANT NEOPLASMS	2,744	224
3	DISEASES OF HEART	2,125	139
4	SUICIDE	1,094	37
5	CERTAIN PERINATAL CONDITIONS	522	7
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	404	17
7	ASSAULT (HOMICIDE)	402	9
8	CEREBROVASCULAR DISEASE	349	27
9	DIABETES MELLITUS	347	23
10	CHRONIC LOWER RESPIRATORY DISEASES	315	39

COUNTY=TIPTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,386	333
1	ACCIDENTS AND ADVERSE EFFECTS	1,361	35
2	MALIGNANT NEOPLASMS	1,163	82
3	DISEASES OF HEART	1,060	60
4	SUICIDE	386	12
5	CERTAIN PERINATAL CONDITIONS	373	5
6	DIABETES MELLITUS	187	14
7	CEREBROVASCULAR DISEASE	183	15
8	CHRONIC LOWER RESPIRATORY DISEASES	165	19
9	PNEUMONIA AND INFLUENZA	119	7
10	SEPTICEMIA	110	9

COUNTY=TROUSDALE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,043	57
1	ACCIDENTS AND ADVERSE EFFECTS	318	7
2	DISEASES OF HEART	280	20
3	MALIGNANT NEOPLASMS	171	11

COUNTY=UNICOI

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,792	126
1	MALIGNANT NEOPLASMS	396	32
2	ACCIDENTS AND ADVERSE EFFECTS	332	13
3	DISEASES OF HEART	302	24
4	CHRONIC LOWER RESPIRATORY DISEASES	121	11
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	103	6
6	PNEUMONIA AND INFLUENZA	22	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=UNION

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,029	111
1	ACCIDENTS AND ADVERSE EFFECTS	494	17
2	MALIGNANT NEOPLASMS	318	25
3	SUICIDE	254	8
4	DISEASES OF HEART	245	19
5	CHRONIC LOWER RESPIRATORY DISEASES	141	11
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	82	4

COUNTY=VAN BUREN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	930	56
1	DISEASES OF HEART	252	13
2	MALIGNANT NEOPLASMS	131	11
3	ACCIDENTS AND ADVERSE EFFECTS	88	5

COUNTY=WARREN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,476	280
1	DISEASES OF HEART	1,238	85
2	MALIGNANT NEOPLASMS	879	67
3	ACCIDENTS AND ADVERSE EFFECTS	601	22
4	CHRONIC LOWER RESPIRATORY DISEASES	302	24
5	SUICIDE	193	6
6	CEREBROVASCULAR DISEASE	131	11
7	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	69	7
8	DIABETES MELLITUS	38	5
9	SEPTICEMIA	32	4

COUNTY=WASHINGTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	10,875	662
1	MALIGNANT NEOPLASMS	2,073	166
2	DISEASES OF HEART	1,650	120
3	ACCIDENTS AND ADVERSE EFFECTS	1,650	65
4	SUICIDE	670	20
5	CHRONIC LOWER RESPIRATORY DISEASES	601	47
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	451	22
7	CERTAIN PERINATAL CONDITIONS	447	6
8	CEREBROVASCULAR DISEASE	372	24
9	PNEUMONIA AND INFLUENZA	224	17
10	DIABETES MELLITUS	177	14

COUNTY=WAYNE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,641	113
1	DISEASES OF HEART	509	38
2	ACCIDENTS AND ADVERSE EFFECTS	199	7
3	MALIGNANT NEOPLASMS	197	23

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=WAYNE

Rank	Cause	YPLL	Deaths
4	CHRONIC LOWER RESPIRATORY DISEASES	89	7
5	CEREBROVASCULAR DISEASE	48	5

COUNTY=WEAKLEY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,383	192
1	MALIGNANT NEOPLASMS	842	56
2	DISEASES OF HEART	562	33
3	ACCIDENTS AND ADVERSE EFFECTS	557	15
4	DIABETES MELLITUS	172	13
5	CHRONIC LOWER RESPIRATORY DISEASES	157	14
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	128	5
7	SUICIDE	82	4
8	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	43	6

COUNTY=WHITE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,877	181
1	ACCIDENTS AND ADVERSE EFFECTS	723	26
2	MALIGNANT NEOPLASMS	529	47
3	DISEASES OF HEART	392	33
4	CHRONIC LIVER DISEASE AND CIRRHOSIS	138	5
5	SUICIDE	132	4
6	CHRONIC LOWER RESPIRATORY DISEASES	116	12
7	CEREBROVASCULAR DISEASE	80	9
8	DIABETES MELLITUS	73	6
9	PNEUMONIA AND INFLUENZA	62	4

COUNTY=WILLIAMSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	8,539	476
1	MALIGNANT NEOPLASMS	2,207	155
2	ACCIDENTS AND ADVERSE EFFECTS	1,796	51
3	DISEASES OF HEART	987	83
4	SUICIDE	676	21
5	CONGENITAL ANOMALIES	298	4
6	CEREBROVASCULAR DISEASE	183	15
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	152	13
8	DIABETES MELLITUS	135	10
9	OTHER DISEASES OF RESPIRATORY SYSTEM	124	8
10	SEPTICEMIA	113	6

COUNTY=WILSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	9,264	567
1	ACCIDENTS AND ADVERSE EFFECTS	2,092	67
2	MALIGNANT NEOPLASMS	1,771	151
3	DISEASES OF HEART	1,513	115

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2016**

COUNTY=WILSON

Rank	Cause	YPLL	Deaths
4	SUICIDE	630	20
5	CONGENITAL ANOMALIES	308	5
6	CHRONIC LOWER RESPIRATORY DISEASES	302	29
7	CEREBROVASCULAR DISEASE	278	25
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	274	17
9	PNEUMONIA AND INFLUENZA	151	11
10	CERTAIN OTHER INTESTINAL INFECTIONS	111	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment