Nashville Ryan White Transitional Grant Area, 2022





56

205 persons were newly diagnosed with HIV









19% received a late diagnosis

→ Persons diagnosed with HIV Stage 3 (AIDS) within 12 months of a new HIV diagnosis are considered a late diagnosis, indicating delayed awareness of HIV status and missed opportunities for prevention efforts.

Most affected subpopulations

by number of persons newly diagnosed with HIV

Non-Hispanic black men, MMS		
hite men,	MMS	39
1MS	25	
Non-Hisp	anic blad	ck men, HET
Non-Hisp	anic blad	k women, HET
9 Men of all other races, MMS		
7 Non-Hispanic black transgender persons		
	hite men, IMS Non-Hisp Non-Hisp of all oth	hite men, MMS 1MS 25 Non-Hispanic blac Non-Hispanic blac of all other races,

were linked to HIV care within 30 days of diagnosis

MMS: male-to-male sexual contact; HET: heterosexual contact

were linked 96% within 365 days

6,264 persons were living with diagnosed HIV

77% received any HIV medical care → One lab result reported to TDH 49%

were retained in HIV medical care \rightarrow Two or more lab results, at least 90 days apart, reported to TDH

69% were virally suppressed

→ When HIV medication reduces the amount of HIV virus in a person's body to a low enough level (<200 c/mL), they are considered **virally suppressed** and will not transmit HIV through sexual contact.





For more HIV surveillance data visit: tn.gov/health/HIVData